



Tool trolley

13217

Product no. **81091301**
GTIN **4018754240128**
Model **13217 LGE WERKZEUG-
TROLLY**

Label.

Tool trolley luminous yellow

Features.

- extremely sturdy, tool trolley resilient to loads and made of polypropylene for professional use
- 5 easily removed lockable drawers with transparent covers, with endstops for the extendible rails, 3 different drawer heights
- drawers can be inserted in any order
- with one top cover and one front cover, both folding
- the top cover is fitted with napped foam to hold tools firmly in place
- one removable tray with 2 handles and 2 transparent drawer covers under the top cover
- drawers can be used as separate tool boxes using the transparent cover
- tool case and drawers can be individually marked
- 2 smooth-running twin wheels on the telescopic-handle side
- adaptable for vertical transport using 4 castors, R 13217 set of castors (please order separately)
- extendible telescopic handle facilitates transport
- 2 carrying handles at the sides
- resistant to skydrol, acetone, petrol and hydraulic fluids
- carrying capacity 60 kg
- 3 locking positions with padlock
- **also available as IP67 version (6 drawers, 4 x 30 mm, 2 x 60 mm**
- **additional catches and seals protect against water and dust. Special valve for pressure relief**
- **also available with all-round high-visibility reflecting surface (5 drawers, 2 x 30 mm, 3 x 60 mm), for increased safety when working in dark surroundings**
- **individually tailored cases are available on request**

Advantages.

STAHLWILLE tool trolley 13217 LGE WERKZEUG-TROLLY, luminous yellow, side handles, two transparent drawer lids, 81091301.


Can be used anywhere for professional assembly on site – ideally suited for mechanics, machine setters, breakdown workers, fitters and technicians.

The drawers with handles and a pull-out stop are individually removable and can be used as a separate toolbox with a transparent lid. These can be inserted in any order.

The rolling case with easy-running double castors is resistant to Skydrol, acetone, petrol and hydraulic oils.



Technical Drawing.



Technical Attributes.

Width mm (b)	581 mm
Colour	luminous yellow
Height mm (h)	455 mm
Length mm (L)	381 mm
No.	13217 LGE

Logistics data.

Depth mm (IFS)	600
Width mm (IFS)	405
Height mm (IFS)	520
Length (packed, mm)	600
Width (packed, mm)	420
Height (packed, mm)	520
Volume (packed, dm ³)	131.04 dm ³
Art. no.	81091301
Weight (gross, kg)	15,640
Weight PAP (kg)	1,500
Weight PVC (kg)	0,000
GTIN	4018754240128

Country of origin	ITALY
Region of origin	Ausländischer Ursprung
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	42021250
Packing standard	1
Weight	15600 g

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
81091301	13217 LGE WERKZEUG- TROLLY	Tool trolley luminous yellow	4018754240128
81091302	13217 LOR WERKZEUG- TROLLY	Tool trolley luminous orange	4018754240135
81091304	13217 LR WERKZEUG- TROLLY	Tool trolley luminous red	4018754240159
81091306	13217 TS WERKZEUG- TROLLY	Tool trolley jet black	4018754240173
81091322	13217 TS IP67 WERKZEUG- TROLLY	Tool trolley jet black	4018754284481
96894809	13217 TS RF	Tool trolley jet black (with reflecting film)	4018754254125

GTIN-Code.



Spare parts/spare part for.



90432737
Drawer pull-out
protection

Images.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal