

Combination ratcheting wrench OPEN RATCH, metric, double hex, offset

OPEN RATCH 17



Product no. 41171010
GTIN 4018754239153
Model OPEN RATCH 17 10 15°



Label.

Combination ratcheting wrench Wrench size 10 mm L.158mm



Product highlights.



Integrated ratchet.

Our combination ratcheting wrenches have an integrated fine-tooth ratchet. There is no need to change your grip or apply the tool several times. The bolt can be tightened quickly and efficiently without stopping, as with a ratchet.



Excellent workmanship.

The wrench is made from high-quality forged chrome alloy steel, giving it excellent robustness and durability, even in continuous use. It also has a corrosion-resistant chrome-plated finish.



Non-slip surface.

The STAHLWILLE wrenches have a high-quality surface structure with a good grip, making it possible to work safely and securely, even with greasy hands. The non-slip property increases handling control.



For all cases.

Our combination ratcheting wrenches are available in different versions (metric, imperial, angled, flat) and as sets in roll-up cases or TCS inserts.

Technologies and features.



Double T-profile


Our combination and ring wrenches have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design

STAHLWILLE wrenches are reinforced between the jaw and shaft, as this is where the greatest forces are exerted. The special design strengthens the stress zones, thus reducing the risk of breakage to a minimum.

Technical Drawing.



Technical Attributes.

a1	5,7 mm
a2	8,4 mm
Number of teeth	72
Working angle	5 °
Width mm (b)	21,7 mm
d	21,0 mm
Length mm (L)	158 mm
Jaw angle	15 °
Wrench width 1 [mm]	10 mm
Ring position	15 °
Wrench width 2 [mm]	10 mm

Logistics data.

Depth mm (IFS)	155
Width mm (IFS)	22
Height mm (IFS)	13
Length (packed, mm)	190
Width (packed, mm)	90
Height (packed, mm)	15
Volume (packed, dm3)	0.2565 dm3
Product no.	41171010
Weight (gross, kg)	0,340
Weight PAP (kg)	0,000
Weight PVC (kg)	0,008
GTIN	4018754239153

Country of origin	TAIWAN, PROVINCE OF CHINA
Region of origin	Ausländischer Ursprung
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	5
Weight	65 g

Variants.

Product no.	Art. no. (ERP)	Description	GTIN
41170808	OPEN RATCH 17 8 15°	Combination ratcheting wrench Wrench size 8 mm L.144mm	4018754239139
41170909	OPEN RATCH 17 9 15°	Combination ratcheting wrench Wrench size 9 mm L.150mm	4018754239146
41171010	OPEN RATCH 17 10 15°	Combination ratcheting wrench Wrench size 10 mm L.158mm	4018754239153
41171111	OPEN RATCH 17 11 15°	Combination ratcheting wrench Wrench size 11 mm L.165mm	4018754239160
41171212	OPEN RATCH 17 12 15°	Combination ratcheting wrench Wrench size 12 mm L.173mm	4018754239177
41171313	OPEN RATCH 17 13 15°	Combination ratcheting wrench Wrench size 13 mm L.182mm	4018754239184
41171414	OPEN RATCH 17 14 15°	Combination ratcheting wrench Wrench size 14 mm L.190mm	4018754239191
41171515	OPEN RATCH 17 15 15°	Combination ratcheting wrench Wrench size 15 mm L.202mm	4018754239207
41171616	OPEN RATCH 17 16 15°	Combination ratcheting wrench Wrench size 16 mm L.215mm	4018754239214
41171717	OPEN RATCH 17 17 15°	Combination ratcheting wrench Wrench size 17 mm L.229mm	4018754239221
41171818	OPEN RATCH 17 18 15°	Combination ratcheting wrench Wrench size 18 mm L.240mm	4018754239238
41171919	OPEN RATCH 17 19 15°	Combination ratcheting wrench Wrench size 19 mm L.252mm	4018754239245
41172121	OPEN RATCH 17 21 15°	Combination ratcheting wrench Wrench size 21 mm L.275mm	4018754320172
41172222	OPEN RATCH 17 22 15°	Combination ratcheting wrench Wrench size 22 mm L.285mm	4018754320196
41172424	OPEN RATCH 17 24 15°	Combination ratcheting wrench Wrench size 24 mm L.296mm	4018754320202

GTIN-Code.



Accessories.



11180020
Bit holder