



Bicycle tool set 730/2

Rad-Set 730/2

Product no. **96500002**
GTIN **4018754343959**
Model **Rad-Set 730/2**



Label.

Bicycle tool set Rad-Set 730/2 L.230mm W.102mm H.40mm 18 pcs.

Features.

Mobile bicycle workshop in practical textile bag with STAHLWILLE logo for easy and secure attachment to the frame.

High-quality bicycle tool for common screw profiles: Hexagon socket, hexagon and TORX®.

Top feature torque spanner no. 730/2 Quick:

- Triggering torque spanner with audible and perceptible click signal
- Very slim and ergonomic design for small torques of 4 - 20 N·m
- Flash adjustment by easy-to-operate clamping lever in the handle
- Controlled screw tightening of sensitive components e. g. made of carbon, aluminium, etc.
- . e.g. carbon, aluminium

Contents 18 pieces:

- 1 Torque spanner MANOSKO® No. 730/2 QUICK
- 1 QuickRelease insert ratchet No. 725QR/ 4
- 3 Double open-end spanners No. 12: 6 x 6; 7 x 7; 10 x 10 mm; 50 and 75° jaw position
- 5 Hexagon sockets 1/4" No. 44 K: 3; 4; 5; 6; 8 mm
- 5 TORX® screwdriver bits 1/4" No. 44 KTX: T10; T15; T20; T25; T27
- 1 Mini QuickRelease fine-tooth ratchet 1/4" No. 418QR: L.90 mm
- 1 QuickRelease extension 1/4" No. 405QR/2: L.54 mm
- 1 Mini water pump pliers No. 65156125: L.125 mm

Advantages.

Controlled screw tightening in the torque range 4 -20 N·m

1/4" square drive.

Contains all necessary quality tools for maintenance in a mobile storage unit.

For all common screw profiles: Hexagon socket, hexagon and TORX®.



Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place and are only released again at the push of a button for a quick tool change.



Fine-tooth ratchet mechanism

Our fine-tooth ratchets with 80 teeth re-engage after just 4.5° for maximum precision in confined spaces. Eight pairs of parallel teeth simultaneously ensure maximum load-bearing capacity and particularly smooth running, even at high torques.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Attributes.

Number of tools	18 pcs.
Width mm (b)	102 mm
Internal width	85 mm
Height mm (h)	40 mm
Length mm (L)	230 mm
Internal length	208 mm

Logistics data.

Depth mm (IFS)	240
Width mm (IFS)	110
Height mm (IFS)	40
Length (packed, mm)	240
Width (packed, mm)	110
Height (packed, mm)	40
Volume (packed, dm ³)	1.056 dm ³
Art. no.	96500002
Weight (gross, kg)	0,692
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754343959
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen

WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82060000
Packing standard	1
Weight	692 g

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
96500002	Rad-Set 730/2	Bicycle tool set Rad-Set 730/2 L.230mm W.102mm H.40mm 18 pcs.	4018754343959

GTIN-Code.



Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200

info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal

Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal