

Sockets 1/4", inch

40aDV



Product no. 01650016
GTIN 4018754001750
Model 40 ADV 1/4



Label. 1/4 " Socket Wrench size 1/4" L.31,8mm


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Drawing.



Technical Attributes.

| | |
|------------------------------|------------------|
| Drive profile | bi-hex AS-Drive® |
| Internal square drive (inch) | 1/4 " |
| d1 | 9,4 mm |
| d2 | 10,7 mm |
| d3 | 5,2 mm |
| Length mm (L) | 31,8 mm |
| Wrench size [inch] | 1/4 " |
| t1 | 6 mm |
| t2 | 23,8 mm |

Logistics data.

| | |
|----------------------|---------------------|
| Depth mm (IFS) | 32 |
| Width mm (IFS) | 11 |
| Height mm (IFS) | 11 |
| Length (packed, mm) | 70 |
| Width (packed, mm) | 50 |
| Height (packed, mm) | 21 |
| Volume (packed, dm3) | 0.0735 dm3 |
| Product no. | 01650016 |
| Weight (gross, kg) | 0,130 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,003 |
| GTIN | 4018754001750 |
| Country of origin | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Packing standard | 10 |
| Weight | 13 g |

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|-----------------|---|---------------|
| 01650014 | 40 ADV 7/32 | 1/4 " Socket Wrench size 7/32" L.31,8mm | 4018754001743 |
| 01650016 | 40 ADV 1/4 | 1/4 " Socket Wrench size 1/4" L.31,8mm | 4018754001750 |
| 01650018 | 40 ADV 9/32 | 1/4 " Socket Wrench size 9/32" L.31,8mm | 4018754001767 |
| 01650020 | 40 ADV 5/16 | 1/4 " Socket Wrench size 5/16" L.31,8mm | 4018754001774 |

GTIN-Code.



