



Sockets 3/8", metric, extra deep

46




Product no. **02020208**
GTIN **4018754002290**
Model **46 20,8 - 13/16**



Label. 3/8 " Socket Wrench size 20,8mm L.65mm

Technical Drawing.



Technical Attributes.

Drive profile	bi-hex AS-Drive®
Internal square drive (inch)	3/8 "
d1	27,2 mm
d2	25 mm
d3	- mm
DIN	DIN 3124 / ISO 2725-1, DIN EN 3710, DIN EN 3709, ASME B 107.5M
Length mm (L)	65 mm

Logistics data.

Depth mm (IFS)	65
Width mm (IFS)	28
Height mm (IFS)	28
Length (packed, mm)	150
Width (packed, mm)	72
Height (packed, mm)	59
Volume (packed, dm3)	0.6372 dm3
Product no.	02020208
Weight (gross, kg)	1,415

Width across flats [mm]	20,8 mm	Weight PAP (kg)	0,000
Wrench size [inch]	13/16 "	Weight PVC (kg)	0,008
t1	18 mm	GTIN	4018754002290
t2	- mm	Country of origin	GERMANY
		Region of origin	Nordrhein-Westfalen
		WEEE/ElektroG	nicht ear-pflichtig
		Customs tariff no.	82042000
		Packing standard	10
		Weight	151 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
02020008	46 8	3/8 " Socket Wrench size 8mm L.54mm	4018754167661
02020010	46 10	3/8 " Socket Wrench size 10mm L.54mm	4018754002160
02020011	46 11	3/8 " Socket Wrench size 11mm L.54mm	4018754002177
02020012	46 12	3/8 " Socket Wrench size 12mm L.54mm	4018754002184
02020013	46 13	3/8 " Socket Wrench size 13mm L.54mm	4018754002191
02020014	46 14	3/8 " Socket Wrench size 14mm L.60mm	4018754002207
02020015	46 15	3/8 " Socket Wrench size 15mm L.60mm	4018754002214
02020016	46 16	3/8 " Socket Wrench size 16mm L.60mm	4018754002221
02020017	46 17	3/8 " Socket Wrench size 17mm L.65mm	4018754002238
02020018	46 18	3/8 " Socket Wrench size 18mm L.65mm	4018754002245
02020019	46 19	3/8 " Socket Wrench size 19mm L.65mm	4018754002252
02020208	46 20,8 - 13/16	3/8 " Socket Wrench size 20,8mm L.65mm	4018754002290
02020021	46 21	3/8 " Socket Wrench size 21mm L.65mm	4018754002276
02020022	46 22	3/8 " Socket Wrench size 22mm L.65mm	4018754002283

GTIN-Code.



