

Screwdriver socket

54TXB



Product no. **03110030**
GTIN **4018754102013**
Model **54 TXB T 30**




Label. 1/2 " Screwdriver socket L.55mm

- Features.**
- for inside TORX® screws, tamper proof
 - with hollow point (TORX® Tamper Resistant)
 - Chrome Alloy Steel, chrome plated

Advantages.

For recessed TORX® screws

Technical Drawing.



Technical Attributes.

Drive profile

TORX®

Logistics data.

Depth mm (IFS)

55

Internal square drive (inch)	1/2 "	Width mm (IFS)	23
d	22,7 mm	Height mm (IFS)	23
Size of output profile	T30	Length (packed, mm)	105
L1	55 mm	Width (packed, mm)	100
L2	17 mm	Height (packed, mm)	23
		Volume (packed, dm3)	0.2415 dm3
		Art. no.	03110030
		Weight (gross, kg)	0,345
		Weight PAP (kg)	0,000
		Weight PVC (kg)	0,006
		GTIN	4018754102013
		Country of origin	GERMANY
		Region of origin	Nordrhein-Westfalen
		WEEE/ElektroG	nicht ear-pflichtig
		Customs tariff no.	82042000
		Packing standard	5
		Weight	71 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
03110020	54 TXB T 20	1/2 " Screwdriver socket L.55mm	4018754101986
03110025	54 TXB T 25	1/2 " Screwdriver socket L.55mm	4018754101993
03110027	54 TXB T 27	1/2 " Screwdriver socket L.55mm	4018754102006
03110030	54 TXB T 30	1/2 " Screwdriver socket L.55mm	4018754102013
03110040	54 TXB T 40	1/2 " Screwdriver socket L.55mm	4018754102020
03110045	54 TXB T 45	1/2 " Screwdriver socket L.55mm	4018754102037
03110050	54 TXB T 50	1/2 " Screwdriver socket L.55mm	4018754102044
03110055	54 TXB T 55	1/2 " Screwdriver socket L.58mm	4018754102051
03110060	54 TXB T 60	1/2 " Screwdriver socket L.58mm	4018754102068

GTIN-Code.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal