



Ratchet ring spanners OPEN-RATCH i.TCS inlay

OPEN RATCH TCS 17/12

Product no. **96830649**
GTIN **4018754240593**
Model **OPEN RATCH TCS 17/12**



Label.

Ratchet ring spanners OPEN-RATCH i.TCS inlay OPEN RATCH TCS 17/12 8-19 12 pcs.

Features.

- Combination ratcheting spanner set with metric, equal spanner widths in TCS insert
- Ring side flat design with bi-hex
- 72 teeth, working angle 5°
- Jaw position 15°
- Right/left tightening by turning the spanner
- Durable, slim, and lightweight design
- High bending strength due to double T-profile
- STAHLWILLE's round finish ensures a surface that is skin-friendly and has a good grip
- Drop-forged, hardened, and cooled in oil bath
- Chrome-alloy steel, chrome-plated
- Tool assortment in foam insert, modular Tool Control System (TCS) – safety integrated

Contents, 12-piece set:

No. 17: 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm

Advantages.

With the Tool Control System, the tools fit into chemical-resistant safety foam inserts with high-precision, 3-D cutouts

The 72-tooth ratchet allows a working angle of only 5° - for efficient work even in the tightest spaces.

The distinctive STAHLWILLE round finish gives the ratchet ring spanner a grippy and pleasant feel for safe working, even with oil-smearred hands.

The practical safety insert system is an intelligent storage solution for tool trolleys and workshop trolleys.

The ring side has a flat design with bi-hex and a jaw position of 15° for working even in hard-to-reach places.

Product highlights.



Field-tested configuration.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



Excellent workmanship.

Our spanners are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



Technologies and features.



Double T-profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design


Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.



Tool Control System

The intelligent modular insert system protects and organises the tools in tool boxes, workshop trolleys and workshop benches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

Technical Drawing.



Technical Attributes.

| | |
|-----------------|---------|
| Number of tools | 12 pcs. |
| Range | 8-19 |
| Width mm (b) | 175 mm |
| Height mm (h) | 80 mm |
| Length mm (L) | 350 mm |
| Drawer dividers | 1/3 |

Logistics data.

| | |
|-----------------------------------|----------------------|
| Depth mm (IFS) | 365 |
| Width mm (IFS) | 185 |
| Height mm (IFS) | 80 |
| Length (packed, mm) | 340 |
| Width (packed, mm) | 175 |
| Height (packed, mm) | 80 |
| Volume (packed, dm ³) | 4.76 dm ³ |
| Art. no. | 96830649 |
| Weight (gross, kg) | 1,548 |
| Weight PAP (kg) | 0,138 |
| Weight PVC (kg) | 0,000 |
| GTIN | 4018754240593 |
| Country of origin | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82041100 |
| Packing standard | 1 |
| Weight | 1460 g |

Variants.

| Art. no. | Art. no. (ERP) | Description | GTIN |
|----------|-------------------------|--|---------------|
| 96830649 | OPEN RATCH TCS 17/12 | Ratchet ring spanners OPEN-RATCH i.TCS inlay OPEN RATCH TCS 17/12 8-19 12 pcs. | 4018754240593 |

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal