



Double-ended ring spanner OPEN RING, angled, metric, hex

OPEN RING 24



Product no. **41080911**
GTIN **4018754021895**
Model **OPEN RING 24 9 x 11**




Label. Double-ended ring spanner, angled Spanner size 9 mm L.155mm

- Features.**
- hexagon
 - DIN 3118/ISO 3318
 - Chrome Alloy Steel, chrome plated

Advantages.

With hexagon

Technical Drawing.



Technical Attributes.

a1	8,5 mm
a2	9 mm
Drive profile	hex AS-Drive®
d1	18,5 mm
d2	21,5 mm

Logistics data.

Depth mm (IFS)	150
Width mm (IFS)	22
Height mm (IFS)	11
Length (packed, mm)	152
Width (packed, mm)	55

DIN	DIN 3118 / ISO 3318	Height (packed, mm)	42
Length mm (L)	155 mm	Volume (packed, dm³)	0.35112 dm ³
m1	6,7 mm	Art. no.	41080911
m2	8,6 mm	Weight (gross, kg)	0,540
Spanner width 1 [mm]	9 mm	Weight PAP (kg)	0,000
Ring position	10 °	Weight PVC (kg)	0,008
Spanner width 2 [mm]	11 mm	GTIN	4018754021895
		Country of origin	GERMANY
		Region of origin	Nordrhein-Westfalen
		WEEE/ElektroG	nicht ear-pflichtig
		Customs tariff no.	82041100
		Packing standard	10
		Weight	54 g

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
41080810	OPEN RING 24 8 x 10	Double-ended ring spanner, angled Spanner size 8 mm L.145mm	4018754021888
41080911	OPEN RING 24 9 x 11	Double-ended ring spanner, angled Spanner size 9 mm L.155mm	4018754021895
41081011	OPEN RING 24 10 x 11	Double-ended ring spanner, angled Spanner size 10 x 11 mm L.155mm	4018754021901
41081012	OPEN RING 24 10 x 12	Double-ended ring spanner, angled Spanner size 10 x 12 mm L.160mm	4018754021918
41081113	OPEN RING 24 11 x 13	Double-ended ring spanner, angled Spanner size 11 x 13 mm L.170mm	4018754021925
41081214	OPEN RING 24 12 x 14	Double-ended ring spanner, angled Spanner size 12 x 14 mm L.180mm	4018754021932

GTIN-Code.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal