

## Sockets 3/4", metric, extra deep

40DL



Product no. 01240005  
GTIN 4018754000814  
Model 40 DL 5



Label. 1/4 " Socket Wrench size 5mm L.50mm

## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical Drawing.



## Technical Attributes.

|                                     |                                                                |
|-------------------------------------|----------------------------------------------------------------|
| <b>Drive profile</b>                | bi-hex AS-Drive®                                               |
| <b>Internal square drive (inch)</b> | 1/4 "                                                          |
| <b>d1</b>                           | 7,9 mm                                                         |
| <b>d2</b>                           | 10,7 mm                                                        |
| <b>d3</b>                           | 4 mm                                                           |
| <b>DIN</b>                          | DIN EN 3710, DIN EN 3709, DIN 3124 / ISO 2725-1, ASME B 107.5M |
| <b>Length mm (L)</b>                | 50 mm                                                          |
| <b>Width across flats [mm]</b>      | 5 mm                                                           |
| <b>t1</b>                           | 4,5 mm                                                         |
| <b>t2</b>                           | 42 mm                                                          |

## Logistics data.

|                             |                     |
|-----------------------------|---------------------|
| <b>Depth mm (IFS)</b>       | 51                  |
| <b>Width mm (IFS)</b>       | 11                  |
| <b>Height mm (IFS)</b>      | 11                  |
| <b>Length (packed, mm)</b>  | 55                  |
| <b>Width (packed, mm)</b>   | 55                  |
| <b>Height (packed, mm)</b>  | 11                  |
| <b>Volume (packed, dm3)</b> | 0.033275 dm3        |
| <b>Product no.</b>          | 01240005            |
| <b>Weight (gross, kg)</b>   | 0,075               |
| <b>Weight PAP (kg)</b>      | 0,000               |
| <b>Weight PVC (kg)</b>      | 0,003               |
| <b>GTIN</b>                 | 4018754000814       |
| <b>Country of origin</b>    | GERMANY             |
| <b>Region of origin</b>     | Nordrhein-Westfalen |
| <b>WEEE/ElektroG</b>        | nicht ear-pflichtig |
| <b>Customs tariff no.</b>   | 82042000            |
| <b>Packing standard</b>     | 5                   |
| <b>Weight</b>               | 15 g                |

## Variants.

| Product no. | Model no. (ERP) | Description                           | GTIN          |
|-------------|-----------------|---------------------------------------|---------------|
| 01240005    | 40 DL 5         | 1/4 " Socket Wrench size 5mm L.50mm   | 4018754000814 |
| 01240006    | 40 DL 6         | 1/4 " Socket Wrench size 6mm L.50mm   | 4018754000821 |
| 01240007    | 40 DL 7         | 1/4 " Socket Wrench size 7mm L.50mm   | 4018754000838 |
| 01240008    | 40 DL 8         | 1/4 " Socket Wrench size 8mm L.50mm   | 4018754000845 |
| 01240009    | 40 DL 9         | 1/4 " Socket Wrench size 9mm L.50mm   | 4018754000852 |
| 01240010    | 40 DL 10        | 1/4 " Socket Wrench size 10mm L.50mm  | 4018754000869 |
| 01240011    | 40 DL 11        | 1/4 " Socket Wrench size 11mm L.50mm  | 4018754000876 |
| 01240012    | 40 DL 12        | 1/4 " Socket Wrench size 12mm L.50mm  | 4018754000883 |
| 01240013    | 40 DL 13        | 1/4 " Socket Wrench size 13mm L.50mm  | 4018754000890 |
| 01240014    | 40 DL 14        | 1/4 " Socket Wrench size 14mm L.50mm  | 4018754000906 |
| 01240055    | 40 DL 5,5       | 1/4 " Socket Wrench size 5,5mm L.50mm | 4018754000920 |

## GTIN-Code.

