



## Combination ratcheting spanner set OPEN RATCH, 5 pcs., offset, inch, in TCS insert

### OPEN RATCH TCS 17a/5

Product no. **96830653**  
GTIN **4018754344857**  
Model **TCS 17A/5**



#### Label.

Combination ratcheting spanner set TCS 17A/5 1/4-9/16" 5 pcs.

#### Features.

- Combination ratcheting ring spanner set with inch, equal widths across flats in TCS insert
- Ring spanner 15° angled with bi-hex
- 72 teeth, working angle 5°
- jaw position 15°
- reversible
- Sturdy, slim and light construction
- high bending strength due to double T-profile
- non-slip, skin-friendly surface due to STAHLWILLE round finish
- drop-forged, hardened and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- Tool assortment in tool insert modular system Tool Control System (TCS) - safety integrated

#### Contents 5 pieces:

5 ratchet ring open-end spanners **No. 17a**: 1/4; 5/16; 3/8; 7/16; 9/16".

## Advantages.

High-quality 5-piece combination ratcheting spanner set with inch sizes.

The ratchet with 72 teeth allows a working angle of only 5° - for efficient working even in the tightest spaces.

The distinctive STAHLWILLE round finish gives the ratchet ring spanner a non-slip and pleasant feel for safe working, even with oil-smeared hands.

In the Tool Control System (TCS) tool storage kit - an intelligent storage solution for tool trolleys and workshop trolleys.

The ring side has a flat design with bi-hex, the jaw position of 15° enables work even in hard-to-reach places.

## Product highlights.



### Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



### Excellent workmanship.

Our spanners are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



### Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



## Technologies and features.



### Double T-profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.



### Tool Control System

The intelligent modular insert system protects and organises the tools in tool boxes, workshop trolleys and workshop benches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

## Technical Attributes.

Number of tools	5 pcs.
Range	1/4-9/16"
Width mm (b)	175 mm
Height mm (h)	40 mm
Length mm (L)	350 mm
Drawer dividers	1/3

## Logistics data.

Depth mm (IFS)	345
Width mm (IFS)	177
Height mm (IFS)	40
Length (packed, mm)	366
Width (packed, mm)	177
Height (packed, mm)	40
Volume (packed, dm3)	2.59128 dm3
Art. no.	96830653
Weight (gross, kg)	0,680
Weight PAP (kg)	0,138
Weight PVC (kg)	0,000
GTIN	4018754344857
Country of origin	TAIWAN, PROVINCE OF CHINA
Region of origin	Ausländischer Ursprung
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	350 g

## Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
96830653	TCS 17A/5	Combination ratcheting spanner set TCS 17A/5 1/4-9/16" 5 pcs.	4018754344857

## GTIN-Code.



## Spare parts/spare part for.



83840038  
1/3 TCS insert

## Images.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal