
# € STAHLWILLE O®



Combination ratcheting spanner set OPEN RATCH, 12 pcs., flat, metric, in TCS insert

#### **OPEN RATCH TCS 17F/12**

Product no. 96830651

GTIN **4018754327041** 

Model OPEN RATCH TCS 17F/12







Label.

Combination ratcheting spanner set OPEN RATCH TCS 17F/12 8-19 12 pcs.

Features.

- ring side 15° angled design with bi-hex
- 72 teeth, working angle 5 degrees
- jaw position 15°
- · right/left tightening by switching on the ring side
- · durable, slim, and lightweight design
- high bending strength due to double T-profile
- STAHLWILLE's round finish ensures a surface that is skin-friendly and has a good grip
- drop-forged, hardened, and cooled in oil bath
- chrome-alloy steel, chrome-plated
- tool assortment in foam insert, modular Tool Control System (TCS) safety integrated

#### Contents, 12-piece set:

12 combination ratcheting spanners Nr. 17F: 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm

### Advantages.

With the Tool Control System, the tools fit into chemicalresistant safety foam inserts with high-precision, 3-D cutouts The practical safety insert system is an intelligent storage solution for tool trolleys and workshop trolleys.

The 72-tooth ratchet allows a working angle of only  $5^{\circ}$  - for efficient work even in the tightest spaces.

The ring side has a flat design with bi-hex and a jaw position of 15° for working even in hard-to-reach places.

The distinctive STAHLWILLE round finish gives the ratchet ring open-end spanner a non-slip and pleasant feel for safe working, even with oil-smeared hands.



### Product highlights.



#### Set for tight installation spaces.

Our ratcheting combination spanner set contains the most common spanner sizes from 8 to 19 mm and therefore covers a wide range of possible applications. The flat design makes it much easier to screw in confined spaces. The jaw opening is inclined by 15°, which means that it lies precisely against the screws and therefore guarantees optimum power transmission. The integrated fine-tooth ratchet enables screws to be tightened guickly and efficiently without having to remove the spanner.



#### Excellent workmanship.

Our spanners are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. The also have a corrosion-resistant chrome-plated finish.



#### Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



### Technologies and features.



#### Double T-profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.







#### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

#### **Tool Control System**

The intelligent modular insert system protects and organises the tools in tool boxes, workshop trolleys and workshop benches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

### **Technical Attributes.**

| Number of tools | 12 pcs. |
|-----------------|---------|
| Range           | 8-19    |
| Width mm (b)    | 175 mm  |
| Height mm (h)   | 30 mm   |
| Length mm (L)   | 350 mm  |
| Drawer dividers | 1/3     |
|                 |         |

# Logistics data.

| Depth mm (IFS)       | 362                       |
|----------------------|---------------------------|
| Width mm (IFS)       | 182                       |
| Height mm (IFS)      | 40                        |
| Length (packed, mm)  | 362                       |
| Width (packed, mm)   | 182                       |
| Height (packed, mm)  | 40                        |
| Volume (packed, dm3) | 2.63536 dm3               |
| Art. no.             | 96830651                  |
| Weight (gross, kg)   | 1,638                     |
| Weight PAP (kg)      | 0,138                     |
| Weight PVC (kg)      | 0,000                     |
| GTIN                 | 4018754327041             |
| Country of origin    | TAIWAN, PROVINCE OF CHINA |
| WEEE/ElektroG        | nicht ear-pflichtig       |
| Customs tariff no.   | 82041100                  |
| Packing standard     | 1                         |
| Weight               | 1550 g                    |
|                      |                           |

### Variants.

| Art. no. | Art. no. (ERP)           | Description   | GTIN          |
|----------|--------------------------|---|---------------|
| 96830651 | OPEN RATCH TCS<br>17F/12 | Combination ratcheting spanner set OPEN RATCH TCS 17F/12 8-19 12 pcs. | 4018754327041 |

### **GTIN-Code.**



## Images.



