



Combination ratcheting spanner, inch, double hex, offset

OPEN RATCH 17a



Product no. **41472828**
GTIN **4018754331529**
Model **OPEN RATCH 17a 7/16 15°**



Label.

Combination ratcheting spanner Spanner size 7/16 " L.160mm

Features.

- 1 1/2 inch width across flats
- ring side angled 15°, jaw position 15°
- reinforced connection between jaw and shank
- 72 teeth, working angle 5°
- controlled right-left tightening thanks to the switch on the ring
- stable, slim and lightweight design
- right-left tightening by switching on the ring side
- high flexural strength thanks to double-T profile
- STAHLWILLE round finish for a pleasant, non-slip feel
- drop-forged, hardened and cooled in an oil bath
- Chrome-Alloy-Steel, chrome-plated

Advantages.

STAHLWILLE combination ratcheting spanner , interchangeable, ring end angled 15° with bi-hexagon, length 160 mm, chrome alloy steel, chrome-plated, 41472828

Right/left tightening by switching on the ring side.

The integrated 72-sprocket ratchet provides a working angle of only 5° – facilitating efficient working even in confined spaces.

High-quality, non-slip surface texture – for safe working even with oily hands

Product highlights.



Integrated ratchet.

Our combination ratcheting spanners have an integrated fine-toothed ratchet. You do not need to change your grip or remove and reattach the tool multiple times. The bolt can be tightened quickly and efficiently without stopping, as when using a ratchet.



Excellent workmanship.

Our spanners are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



In every way.

Our combination ratcheting spanners are available in different versions (metric, imperial, angled, flat) and also as sets in roll-up pouches or TCS inserts.

Technologies and features.



Double T-profile


Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical Drawing.



Technical Attributes.

| | |
|--------------------------|--------|
| Number of teeth | 72 |
| Working angle | 5 ° |
| Width mm (b) | 22 mm |
| d | 22 mm |
| Length mm (L) | 160 mm |
| Jaw angle | 15 ° |
| Ring position | 15 ° |
| Spanner width 1 [inch] | 7/16 " |
| Spanner width s 2 [inch] | 7/16 " |

Logistics data.

| | |
|----------------------|---------------------------|
| Depth mm (IFS) | 160 |
| Width mm (IFS) | 22 |
| Height mm (IFS) | 13 |
| Length (packed, mm) | 160 |
| Width (packed, mm) | 22 |
| Height (packed, mm) | 13 |
| Volume (packed, dm3) | 0.04576 dm3 |
| Art. no. | 41472828 |
| Weight (gross, kg) | 0,072 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,004 |
| GTIN | 4018754331529 |
| Country of origin | TAIWAN, PROVINCE OF CHINA |
| Region of origin | Ausländischer Ursprung |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82041100 |
| Packing standard | 1 |
| Weight | 68 g |

Variants.

| Art. no. | Art. no. (ERP) | Description | GTIN |
|----------|----------------------------|---|---------------|
| 41471616 | OPEN RATCH 17a 1/4 15° | Combination ratcheting spanner Spanner size 1/4 " L.134mm | 4018754331499 |
| 41472020 | OPEN RATCH 17a 5/16 15° | Combination ratcheting spanner Spanner size 5/16 " L.141mm | 4018754331505 |
| 41472424 | OPEN RATCH 17a 3/8 15° | Combination ratcheting spanner Spanner size 3/8 " L.156mm | 4018754331512 |

| | | | |
|----------|-----------------------------|--|---------------|
| 41472828 | OPEN RATCH 17a 7/16 15° | Combination ratcheting spanner Spanner size 7/16 " L.160mm | 4018754331529 |
| 41473232 | OPEN RATCH 17a 1/2 15° | Combination ratcheting spanner Spanner size 1/2 " L.180mm | 4018754331536 |
| 41473434 | OPEN RATCH 17a 9/16 15° | Combination ratcheting spanner Spanner size 9/16 " L.190mm | 4018754331543 |
| 41473636 | OPEN RATCH 17a 5/8 15° | Combination ratcheting spanner Spanner size 5/8 " L.210mm | 4018754331550 |
| 41473838 | OPEN RATCH 17a 11/16 15° | Combination ratcheting spanner Spanner size 11/16 " L.226mm | 4018754331567 |
| 41474040 | OPEN RATCH 17a 3/4 15° | Combination ratcheting spanner Spanner size 3/4 " L.252mm | 4018754331574 |
| 41474242 | OPEN RATCH 17a 13/16 15° | Combination ratcheting spanner Spanner size 13/16 " L.272mm | 4018754331581 |
| 41474444 | OPEN RATCH 17a 7/8 15° | Combination ratcheting spanner Spanner size 7/8 " L.281mm | 4018754331598 |
| 41474848 | OPEN RATCH 17a 1 | Combination ratcheting spanner Spanner size 1 " L.295mm | 4018754331604 |

GTIN-Code.



Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200

info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal

Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal