

## Sockets 1/4"

### 40aSP



Product no. **01011007**  
GTIN **4018754109098**  
Model **40A SP 7 = 7/32**



**Label.** 1/4 " Socket Wrench size 7/32" L.22,2mm


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical Drawing.



## Technical Attributes.

Drive profile	Spline-Drive
Internal square drive (inch)	1/4 "
d1	8,6 mm
d2	10,7 mm
d3	5 mm
Size of output profile	7
Length mm (L)	22,2 mm
Wrench size [inch]	7/32 "
t1	6 mm
t2	14,2 mm

## Logistics data.

Depth mm (IFS)	23
Width mm (IFS)	11
Height mm (IFS)	11
Length (packed, mm)	23
Width (packed, mm)	11
Height (packed, mm)	11
Volume (packed, dm3)	0.002783 dm3
Product no.	01011007
Weight (gross, kg)	0,007
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754109098
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Packing standard	1
Weight	7 g

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
01011007	40A SP 7 = 7/32	1/4 " Socket Wrench size 7/32" L.22,2mm	4018754109098
01011008	40A SP 8 = 1/4	1/4 " Socket Wrench size 1/4" L.22,2mm	4018754109104
01011009	40A SP 9 = 9/32	1/4 " Socket Wrench size 9/32" L.22,2mm	4018754109111
01011010	40A SP 10 = 5/16	1/4 " Socket Wrench size 5/16" L.22,2mm	4018754109128
01011012	40A SP 12 = 3/8	1/4 " Socket Wrench size 3/8" L.23mm	4018754170838
01011014	40A SP 14 = 7/16	1/4 " Socket Wrench size 7/16" L.25mm	4018754170845

## GTIN-Code.



