



## Transducer laboratory for torque wrenches and torque screwdrivers

**7728-4**

Product no. **96524004**  
GTIN **4018754239351**  
Model **7728-4**



**Label.**

Transducer laboratory 4N·m-40N·m Internal square 3/8" D.120mm

## Technologies and features.



### QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place and are only released again at the push of a button for a quick tool change.



### DAkks calibration certificate

Our torque tools, transducers and test equipment have an official, internationally recognized calibration certificate in accordance with the requirements of DIN EN ISO/IEC 17025:2018 for the traceability by our in-house DAkks-accredited calibration laboratory.

## Technical Attributes.

Measuring range N·m	4-40 N·m
Internal square [inch]	3/8 "
Display deviation +- 0.5% of measured value N·m	4-40
Display deviation +- 0.25% of measuring value N·m N·m	8-40
Display deviation +- 0.5% of measured value in·lb	35-354

## Logistics data.

Depth mm (IFS)	280
Width mm (IFS)	241
Height mm (IFS)	241
Length (packed, mm)	280
Width (packed, mm)	241
Height (packed, mm)	241
Volume (packed, dm <sup>3</sup> )	16.26268 dm <sup>3</sup>

<b>Display deviation +- 0.25% of measured value in-lb</b>	71-354	<b>Product no.</b>	96524004
<b>Display deviation +- 0.5% of measured value ft-lb</b>	3-30	<b>Weight (gross, kg)</b>	3,944
<b>Display deviation +- 0.25% of measured value ft-lb</b>	6-30	<b>Weight PAP (kg)</b>	0,092
<b>d</b>	120 mm	<b>Weight PVC (kg)</b>	0,000
<b>Weight with box</b>	3136 g	<b>GTIN</b>	4018754239351
<b>Size</b>	4	<b>Country of origin</b>	GERMANY
<b>MA N·m</b>	4 N·m	<b>Region of origin</b>	Nordrhein-Westfalen
<b>Nominal value N·m</b>	40 N·m	<b>WEEE/ElektroG</b>	Kleingeräte B2C
		<b>Customs tariff no.</b>	90319000
		<b>Packing standard</b>	1
		<b>Weight</b>	2486 g

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
96524011	7728-1S	Transducer laboratory 1N·m-10N·m Internal square 1/4" D.120mm	4018754239382
96524001	7728-1	Transducer laboratory 1N·m-10N·m Internal square 1/4" D.120mm	4018754239337
96524002	7728-2	Transducer laboratory 2N·m-20N·m Internal square 1/4" D.120mm	4018754239344
96524004	7728-4	Transducer laboratory 4N·m-40N·m Internal square 3/8" D.120mm	4018754239351
96524006	7728-6	Transducer laboratory 6N·m-60N·m Internal square 3/8" D.120mm	4018754239368
96524010	7728-10	Transducer laboratory 10N·m-100N·m Internal square 3/8" D.120mm	4018754239375
96524020	7728-20	Transducer laboratory 20N·m-200N·m Internal square 1/2" D.120mm	4018754239399
96524040	7728-40	Transducer laboratory 40N·m-400N·m Internal square 3/4" D.156mm	4018754239405
96524065	7728-65	Transducer laboratory 65N·m-650N·m Internal square 3/4" D.156mm	4018754239412
96524080	7728-80	Transducer laboratory 80N·m-800N·m Internal square 3/4" D.156mm	4018754239429
96524100	7728-100	Transducer laboratory 100N·m-1000N·m Internal square 3/4" D.156mm	4018754239436
96524300	7728-300	Transducer laboratory 300N·m-3000N·m Internal square 1 1/2" D.195mm	4018754239443

## GTIN-Code.



## Accessories.



52110054  
Cable



52110057  
Spiral cable



96583631  
USB adapter, jack cable  
and software  
Torkmaster