



## Torque wrench MANOSKOP®

### 721/20 Quick



Product no. 50204020  
GTIN 4018754268931  
Model 721/20 QUICK



#### Label.

Torque wrench MANOSKOP® Model 721/20 Quick Measuring r. 40-200N·m Drive 1/2  
L. 483mm

#### Product highlights.




## Technologies and features.



### Factory calibration certificate (ISO calibration)

Our torque tools, transducers and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2 and based on DKD-R 10-8 for traceability of the measuring equipment.

## Technical Drawing.



## Technical Attributes.

Scale division ft·lb	5 ft·lb
Scale division N·m	5 N·m
Measuring range N·m	40-200 N·m
Measuring range ft·lb	30-145 ft·lb
External square drive (inch)	1/2
b1	28 mm
b2	41 mm
DIN	DIN EN ISO 6789-2:2017
Size	20
Height mm (h1)	23 mm
Height mm (h2)	18 mm
Length mm (L)	483 mm
LF	418 mm
MA N·m	40 N·m
Nominal value N·m	200 N·m

## Logistics data.

Depth mm (IFS)	490
Width mm (IFS)	45
Height mm (IFS)	45
Length (packed, mm)	510
Width (packed, mm)	51
Height (packed, mm)	51
Volume (packed, dm <sup>3</sup> )	1.32651 dm <sup>3</sup>
Product no.	50204020
Weight (gross, kg)	1,475
Weight PAP (kg)	0,000
Weight PVC (kg)	0,110
GTIN	4018754268931
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	1349 g

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
50204005	721/5 QUICK	Torque wrench MANOSKOP® Model 721/5 Quick Measuring r. 6-50N·m Drive 3/8 L. 352mm	4018754268917
50204015	721/15 QUICK	Torque wrench MANOSKOP® Model 721/15 Quick Measuring r. 30-150N·m Drive 1/2 L. 452mm	4018754268924
50204020	721/20 QUICK	Torque wrench MANOSKOP® Model 721/20 Quick Measuring r. 40-200N·m Drive 1/2 L. 483mm	4018754268931
50204030	721/30 QUICK	Torque wrench MANOSKOP® Model 721/30 Quick Measuring r. 60-300N·m Drive 1/2 L. 553mm	4018754268948

## GTIN-Code.



## Spare parts/spare part for.



19040000

Spare part set for  
ratchet

## Images.



