

Ring ratchet insert adaptor 717

717

 Product no.
 58170122

 GTIN
 4018754348510

 Model
 717/22



Label.

Ring ratchet insert adaptor 22mm Tool holders9 x 12

Product highlights.









Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Attributes.

Logistics data.

Number of teeth	72	Depth mm (IFS)	88
Number of teeth		Depth mm (IFS)	00
Working angle	5 °	Width mm (IFS)	42
Width mm (b)	42 mm	Height mm (IFS)	16
Size square socket [inside	9 x 12 mm	Length (packed, mm)	98
square drive]		Width (packed, mm)	65
Height mm (h)	13,8 mm	Height (packed, mm)	18
Length mm (L)	52 mm	Volume (packed, dm3)	0.11466 dm3
max. torque	160 N·m	Art. no.	58170122
Spanner width 1 [mm]	22 mm	Weight (gross, kg)	0,170
		Weight PAP (kg)	0,000
		Weight PVC (kg)	0,004
		GTIN	4018754348510
		Country of origin	CHINA
		Region of origin	Ausländischer Ursprung
		WEEE/ElektroG	nicht ear-pflichtig
		Customs tariff no.	82042000
		Packing standard	1
		Weight	166 g

Variants.

	Art. no.	Model no. (ERP)	Description	GTIN
	58170108	717/8	Ring ratchet insert adaptor 8mm Tool holders9 x 12	4018754348619
	58170110	717/10	Ring ratchet insert adaptor 10mm Tool holders9 x 12	4018754348626
-	58170112	717/12	Ring ratchet insert adaptor 12mm Tool holders9 x 12	4018754348411
-	58170113	717/13	Ring ratchet insert adaptor 13mm Tool holders9 x 12	4018754348428

58170117	717/17	Ring ratchet insert adaptor 17mm Tool holders9 x 12	4018754348435
58170119	717/19	Ring ratchet insert adaptor 19mm Tool holders9 x 12	4018754348442
58170122	717/22	Ring ratchet insert adaptor 22mm Tool holders9 x 12	4018754348510

GTIN-Code.



Images.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200 info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal