



Transducer laboratory for torque wrenches and torque screwdrivers

7728-300

Product no. **96524300**
GTIN **4018754239443**
Model **7728-300**



Label. Transducer laboratory 300N-m-3000N-m Internal square 1 1/2" D.195mm

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place and are only released again at the push of a button for a quick tool change.



DAkks calibration certificate

Our torque tools, transducers and test equipment have an official, internationally recognized calibration certificate in accordance with the requirements of DIN EN ISO/IEC 17025:2018 for the traceability by our in-house DAkks-accredited calibration laboratory.

Technical Attributes.

Measuring range N-m	300-3000 N-m
Internal square [inch]	1 1/2 "
Display deviation +- 0.5% of measured value N-m	300-3000
Display deviation +- 0.25% of measuring value N-m N-m	600-3000
Display deviation +- 0.5% of measured value in-lb	2655-26553

Logistics data.

Depth mm (IFS)	370
Width mm (IFS)	300
Height mm (IFS)	140
Length (packed, mm)	370
Width (packed, mm)	300
Height (packed, mm)	140
Volume (packed, dm3)	15.54 dm3

Display deviation +- 0.25% of measured value in-lb	5310-26553	Product no.	96524300
Display deviation +- 0.5% of measured value ft-lb	221-2214	Weight (gross, kg)	13,000
Display deviation +- 0.25% of measured value ft-lb	443-2214	Weight PAP (kg)	0,156
d	195 mm	Weight PVC (kg)	0,000
Weight with box	12000 g	GTIN	4018754239443
Size	300	Country of origin	GERMANY
MA N·m	300 N·m	Region of origin	Nordrhein-Westfalen
Nominal value N·m	3,000 N·m	WEEE/ElektroG	Kleingeräte B2C
		Customs tariff no.	90319000
		Packing standard	1
		Weight	10500 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
96524011	7728-1S	Transducer laboratory 1N·m-10N·m Internal square 1/4" D.120mm	4018754239382
96524001	7728-1	Transducer laboratory 1N·m-10N·m Internal square 1/4" D.120mm	4018754239337
96524002	7728-2	Transducer laboratory 2N·m-20N·m Internal square 1/4" D.120mm	4018754239344
96524004	7728-4	Transducer laboratory 4N·m-40N·m Internal square 3/8" D.120mm	4018754239351
96524006	7728-6	Transducer laboratory 6N·m-60N·m Internal square 3/8" D.120mm	4018754239368
96524010	7728-10	Transducer laboratory 10N·m-100N·m Internal square 3/8" D.120mm	4018754239375
96524020	7728-20	Transducer laboratory 20N·m-200N·m Internal square 1/2" D.120mm	4018754239399
96524040	7728-40	Transducer laboratory 40N·m-400N·m Internal square 3/4" D.156mm	4018754239405
96524065	7728-65	Transducer laboratory 65N·m-650N·m Internal square 3/4" D.156mm	4018754239412
96524080	7728-80	Transducer laboratory 80N·m-800N·m Internal square 3/4" D.156mm	4018754239429
96524100	7728-100	Transducer laboratory 100N·m-1000N·m Internal square 3/4" D.156mm	4018754239436
96524300	7728-300	Transducer laboratory 300N·m-3000N·m Internal square 1 1/2" D.195mm	4018754239443

GTIN-Code.



Accessories.



52110054
Cable



52110057
Spiral cable



96583631
USB adapter, jack cable
and software
Torkmaster