



## Torque wrench service MANOSKOP® (N·m/in·lb)

### 730a/12 Quick




Product no. **50584012**  
GTIN **4018754268993**  
Model **730A/12 QUICK**



#### Label.

Torque wrench service MANOSKOP® Model 730a/12 Quick Measuring r. 225-1150in  
lb Tool holders 14 x 18 mm L. 410mm



#### Product highlights.





## Technologies and features.



### QuickRelease


The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place and are only released again at the push of a button for a quick tool change.



### Factory calibration certificate (ISO calibration)

Our torque tools, transducers and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2 and based on DKD-R 10-8 for traceability of the measuring equipment.

## Technical Drawing.



## Technical Attributes.

|                       |                |
|-----------------------|----------------|
| Scale division in·lb  | 25 in·lb       |
| Scale division N·m    | 2,5 N·m        |
| Measuring range N·m   | 25-130 N·m     |
| Measuring range in·lb | 225-1150 in·lb |

## Logistics data.

|                     |     |
|---------------------|-----|
| Depth mm (IFS)      | 405 |
| Width mm (IFS)      | 50  |
| Height mm (IFS)     | 40  |
| Length (packed, mm) | 435 |

|   |                        |                             |                     |
|---|------------------------|-----------------------------|---------------------|
| <b>Width mm (b)</b>                             | 28 mm                  | <b>Width (packed, mm)</b>   | 50                  |
| <b>DIN</b>                                      | DIN EN ISO 6789-2:2017 | <b>Height (packed, mm)</b>  | 50                  |
| <b>Size</b>                                     | a/12                   | <b>Volume (packed, dm3)</b> | 1.0875 dm3          |
| <b>Size square socket [inside square drive]</b> | 14 x 18 mm             | <b>Product no.</b>          | 50584012            |
| <b>Height mm (h)</b>                            | 23 mm                  | <b>Weight (gross, kg)</b>   | 1,186               |
| <b>Length mm (L)</b>                            | 410 mm                 | <b>Weight PAP (kg)</b>      | 0,000               |
| <b>LF</b>                                       | 390 mm                 | <b>Weight PVC (kg)</b>      | 0,110               |
| <b>SF</b>                                       | 25 mm                  | <b>GTIN</b>                 | 4018754268993       |
|   |                        | <b>Country of origin</b>    | GERMANY             |
|   |                        | <b>Region of origin</b>     | Nordrhein-Westfalen |
|   |                        | <b>WEEE/ElektroG</b>        | nicht ear-pflichtig |
|   |                        | <b>Customs tariff no.</b>   | 82041100            |
|   |                        | <b>Packing standard</b>     | 1                   |
|   |                        | <b>Weight</b>               | 1076 g              |

## Variants.

| Product no. | Model no. (ERP) | Description  | GTIN          |
|-------------|-----------------|--|---------------|
| 50584005    | 730A/5 QUICK    | Torque wrench service MANOSKOP®<br>Model 730a/5 Quick Measuring r.<br>50-440in lb Tool holders 9 x 12 mm L.<br>315mm     | 4018754268979 |
| 50584010    | 730A/10 QUICK   | Torque wrench service MANOSKOP®<br>Model 730a/10 Quick Measuring r.<br>180-880in lb Tool holders 9 x 12 mm L.<br>370mm   | 4018754268986 |
| 50584012    | 730A/12 QUICK   | Torque wrench service MANOSKOP®<br>Model 730a/12 Quick Measuring r.<br>225-1150in lb Tool holders 14 x 18 mm<br>L. 410mm | 4018754268993 |
| 50584020    | 730A/20 QUICK   | Torque wrench service MANOSKOP®<br>Model 730a/20 Quick Measuring r.<br>350-1750in lb Tool holders 14 x 18 mm<br>L. 455mm | 4018754269006 |

## GTIN-Code.



## Images.

