



Transducer laboratory for torque wrenches and torque screwdrivers

7728-65

Product no. **96524065**
GTIN **4018754239412**
Model **7728-65**



Label. Transducer laboratory 65N·m-650N·m Internal square 3/4" D.156mm

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place and are only released again at the push of a button for a quick tool change.



DAkks calibration certificate

Our torque tools, transducers and test equipment have an official, internationally recognized calibration certificate in accordance with the requirements of DIN EN ISO/IEC 17025:2018 for the traceability by our in-house DAkks-accredited calibration laboratory.

Technical Attributes.

Measuring range N·m	65-650 N·m
Internal square [inch]	3/4 "
Display deviation +- 0.5% of measured value N·m	65-650
Display deviation +- 0.25% of measuring value N·m N·m	130-650
Display deviation +- 0.5% of measured value in·lb	575-5753

Logistics data.

Depth mm (IFS)	290
Width mm (IFS)	245
Height mm (IFS)	100
Length (packed, mm)	290
Width (packed, mm)	245
Height (packed, mm)	100
Volume (packed, dm ³)	7.105 dm ³

Display deviation +- 0.25% of measured value in-lb	1151-5753	Product no.	96524065
Display deviation +- 0.5% of measured value ft-lb	48-479	Weight (gross, kg)	5,996
Display deviation +- 0.25% of measured value ft-lb	96-479	Weight PAP (kg)	0,092
d	156 mm	Weight PVC (kg)	0,000
Weight with box	5507 g	GTIN	4018754239412
Size	65	Country of origin	GERMANY
MA N·m	65 N·m	Region of origin	Nordrhein-Westfalen
Nominal value N·m	650 N·m	WEEE/ElektroG	Kleingeräte B2C
		Customs tariff no.	90319000
		Packing standard	1
		Weight	4846 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
96524011	7728-1S	Transducer laboratory 1N·m-10N·m Internal square 1/4" D.120mm	4018754239382
96524001	7728-1	Transducer laboratory 1N·m-10N·m Internal square 1/4" D.120mm	4018754239337
96524002	7728-2	Transducer laboratory 2N·m-20N·m Internal square 1/4" D.120mm	4018754239344
96524004	7728-4	Transducer laboratory 4N·m-40N·m Internal square 3/8" D.120mm	4018754239351
96524006	7728-6	Transducer laboratory 6N·m-60N·m Internal square 3/8" D.120mm	4018754239368
96524010	7728-10	Transducer laboratory 10N·m-100N·m Internal square 3/8" D.120mm	4018754239375
96524020	7728-20	Transducer laboratory 20N·m-200N·m Internal square 1/2" D.120mm	4018754239399
96524040	7728-40	Transducer laboratory 40N·m-400N·m Internal square 3/4" D.156mm	4018754239405
96524065	7728-65	Transducer laboratory 65N·m-650N·m Internal square 3/4" D.156mm	4018754239412
96524080	7728-80	Transducer laboratory 80N·m-800N·m Internal square 3/4" D.156mm	4018754239429
96524100	7728-100	Transducer laboratory 100N·m-1000N·m Internal square 3/4" D.156mm	4018754239436
96524300	7728-300	Transducer laboratory 300N·m-3000N·m Internal square 1 1/2" D.195mm	4018754239443

GTIN-Code.



Accessories.



52110054
Cable



52110057
Spiral cable



96583631
USB adapter, jack cable
and software
Torkmaster