

Electronic angle torque wrench SENSOTORK®

713R



Product no. **96501640**
GTIN **4018754156528**
Model **713R/40**



Label.

Electronic angle torque wrench SENSOTORK® Model 713R Measuring r. 20-400N·m
Drive 3/4 L. 838mm

Product highlights.




Technologies and features.



Factory calibration certificate (ISO calibration)

Our torque tools, transducers and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2 and based on DKD-R 10-8 for traceability of the measuring equipment.

Technical Drawing.



Technical Attributes.

Measuring range N·m	20-400 N·m
Measuring range ft·lb	15-296 ft·lb
External square drive (inch)	3/4
Battery type	Mignon (AA) 1,5V
Width mm (b)	50 mm
DIN	DIN EN ISO 6789-2:2017
Weight with box	5555 g
Size	40
Size square socket [inside square drive]	14 x 18 mm
Height mm (h)	31,5 mm
Length mm (L)	838 mm
LF	750 mm
SF	25 mm

Logistics data.

Depth mm (IFS)	1040
Width mm (IFS)	140
Height mm (IFS)	100
Length (packed, mm)	1040
Width (packed, mm)	140
Height (packed, mm)	100
Volume (packed, dm ³)	14.56 dm ³
Product no.	96501640
Weight (gross, kg)	5,300
Weight PAP (kg)	0,500
Weight PVC (kg)	0,000
GTIN	4018754156528
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	Großgeräte B2C
Customs tariff no.	82041100
Packing standard	1
Weight	2332 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
96501606	713R/6	Electronic angle torque wrench SENSOTORK® Model 713R Measuring r. 3-60N·m Drive 3/8 L. 378mm	4018754156504
96501620	713R/20	Electronic angle torque wrench SENSOTORK® Model 713R Measuring r. 10-200N·m Drive 1/2 L. 608mm	4018754156511

96501640 713R/40

Electronic angle torque wrench
SENSOTORK® Model 713R Measuring r.
20-400N·m Drive 3/4 L. 838mm

4018754156528

GTIN-Code.



Images.

