



Ring ratchet insert adapter 718

718



Product no. 58170227
GTIN 4018754348503
Model 718/27



Label. Ring ratchet insert adapter 27mm Tool holders 14 x 18

Product highlights.



Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.



Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.



Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.



Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Attributes.

| | |
|--|------------|
| Number of teeth | 72 |
| Working angle | 5 ° |
| Width mm (b) | 52 mm |
| Size square socket [inside square drive] | 14 x 18 mm |
| Height mm (h) | 15,6 mm |
| Length mm (L) | 55 mm |
| max. torque | 360 N·m |
| Wrench width 1 [mm] | 27 mm |

Logistics data.

| | |
|-----------------------------------|-------------------------|
| Depth mm (IFS) | 105 |
| Width mm (IFS) | 56 |
| Height mm (IFS) | 22 |
| Length (packed, mm) | 115 |
| Width (packed, mm) | 68 |
| Height (packed, mm) | 24 |
| Volume (packed, dm ³) | 0.18768 dm ³ |
| Product no. | 58170227 |
| Weight (gross, kg) | 0,300 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,004 |
| GTIN | 4018754348503 |
| Country of origin | CHINA |
| Region of origin | Ausländischer Ursprung |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Packing standard | 1 |
| Weight | 296 g |

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|-----------------|--|---------------|
| 58170217 | 718/17 | Ring ratchet insert adapter 17mm Tool holders14 x 18 | 4018754348459 |
| 58170219 | 718/19 | Ring ratchet insert adapter 19mm Tool holders14 x 18 | 4018754348466 |
| 58170221 | 718/21 | Ring ratchet insert adapter 21mm Tool holders14 x 18 | 4018754348473 |
| 58170222 | 718/22 | Ring ratchet insert adapter 22mm Tool holders14 x 18 | 4018754348480 |

| | | | |
|----------|--------|--|---------------|
| 58170224 | 718/24 | Ring ratchet insert adapter 24mm Tool holders14 x 18 | 4018754348497 |
| 58170227 | 718/27 | Ring ratchet insert adapter 27mm Tool holders14 x 18 | 4018754348503 |

GTIN-Code.

