



Pipe wrenches PowerGRIP

6573

Product no. 65735180

GTIN 4018754206421

Model PowerGRIP 6573 180

Label.

Pipe wrench PowerGRIP L.180mm

Properties.

- · smooth jaws to protect sensitive surfaces
- · secure grip when screwing, holding and bending
- quick adjustment of the pipe wrench at the push of a button
- for workpieces with parallel surfaces (nuts, screws, etc.)
- · variable and smooth fine adjustment
- high transmission ratio for noticeable manual force amplification
- · with built-in protection against crush injuries
- high-quality, hardened and tempered for excellent wear resistance
- plastic coated handles

Benefits.

Sturdy pipe wrenches for gripping, holding, pressing and bending workpieces with flat surfaces (thin sheet metal, nuts, screws, etc.).

Use of the jaw stroke enables a "rachet effect" for additional bolting function.

The pliers feature a non-slip plastic coating and built-in crush protection for improved ergonomics and safety.

Gentle bolting of sensitive fittings up to 36 mm thanks to smooth, parallel jaws without serration.

Infinitely variable and smooth-running quick adjustment at the push of a button on the tool.

Product highlights.



Practical ratchet effect.

The pipe wrench has a multifunctional design due to the special jaw stroke of the gripping jaws and thus also has a ratchet function.



Precise fine adjustment.

Adaptation to the workpiece is achieved by precise, multi-stage quick adjustment of the pivot pin. Quick adjustment via push button makes the pipe wrench comfortable and flexible to use.



Gentle application.

The full-surface and profile-free parallel jaws of this pipe wrench enable safe and gentle gripping of workpieces, such as sensitive fittings up to a diameter of 36 mm.



Every action perfectly executed.

The ergonomically designed handles are coated with a non-slip plastic with a rough surface texture. This makes the pliers comfortable to hold and enables fatigue-free working - even with dirty hands. The integrated clamp protection reliably protects against crush injuries.



High stability.

The sliding slip joint with double support ensures exceptional stability and a particularly long service life, even under high loads. The robust design guarantees reliable performance, even under demanding conditions.

Technical attributes.

Handles	plastic overlay with a textured surface	
Header	chrome-plated	
Length mm (L)	180 mm 36 mm 11x	
Jaw opening max. (mm)		
Opening width adjustment		
Physical length [mm]	192 mm	

Logistics data.

Depth mm (IFS)	210
Width mm (IFS)	70
Height mm (IFS)	14
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	210
Width (packaged, mm)	70
Height (packaging, mm)	14
Volume (packaged, dm3)	0.2058 dm3
Product no.	65735180
Weight (gross, kg)	0,291
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754206421
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82032000
Packing standard	1
Weight (g)	291 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
65735180	PowerGRIP 6573 180	Pipe wrench PowerGRIP L.180mm	4018754206421
65735250	PowerGRIP 6573 250	Pipe wrench PowerGRIP L.250mm	4018754206810
65735300	PowerGRIP 6573 300	Pipe wrench PowerGRIP L.300mm	4018754206445

GTIN.



STAHLWILLE Eduard Wille GmbH