



UNIFLEX sockets

402aK

Product no. **01541024**
GTIN **4018754150243**
Model **402aK 3/8**



Label. 1/4 " UNIFLEX sockets Size 3/8" L.34mm

Properties.

- extra short version
- bi-hex with AS-Drive profile
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	bi-hex AS-Drive
Square drive inner (inch)	1/4 "
d1	13,6 mm
d2	12,7 mm
d3	6,7 mm
Length mm (L)	34 mm
Size [inch]	3/8 "
t1	9,1 mm
t2	12,0 mm

Logistics data.

Depth mm (IFS)	34
Width mm (IFS)	13
Height mm (IFS)	13
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	100
Width (packaged, mm)	60
Height (packaging, mm)	14
Volume (packaged, dm3)	0.084 dm3
Product no.	01541024
Weight (gross, kg)	0,098
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754150243
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	5
Weight (g)	19 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
01541024	402aK 3/8	1/4 " UNIFLEX sockets Size 3/8" L.34mm	4018754150243
01541034	402aK 9/16	1/4 " UNIFLEX sockets Size 9/16" L.37.5mm	4018754146772

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal