

Telephone pliers

6730



Product no. **67301200**
GTIN **4018754338689**
Model **6730 1 200 A**



Label.

Telephone pliers L.200mm Header chrome-plated Handles 2-component handles

Properties.

- straight with cutters and burner hole
- for precise gripping of nuts, pins and cotter pins
- flat-round, tapered jaws with serrated gripping surface
- hardened and tempered steel, drop-forged
- cutting edges with additional induction hardening to approx. 64 HRC
- chrome-plated
- with 2-component handles
- DIN ISO 5745

Benefits.

High-quality telephone pliers with cutting edge and burner hole for optimal gripping, holding, cutting and bending.

Additional inductive hardening of the cutting edges (approx. 64 HRC) supports optimum cutting performance during continuous use.

Made from hardened and tempered steel for increased durability and reliable performance, even in continuous use.

The sharp, hardened cutting edges deliver equally precise results with both hard and soft wire.

The ergonomically shaped, non-slip 2-component handles offer an optimal grip for low-fatigue work.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Universal use.

The fine and coarsely toothed gripping surfaces of the combination pliers enable a wide range of applications without the need for additional tools. It can be used to grip, hold and bend a wide range of objects. The specially hardened, high-precision jaws cut wires and thin pieces of metal reliably and precisely.



PRODUCT IMAGE
IN PROGRESS

Powerful performance.

Our pliers are designed to cut soft and hard wires. An additional inductive hardening of the cutting edges to approx. 64 HRC ensures precise and reliable cutting performance as well as a long service life.



PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The pliers are forged and additionally oil-hardened and chrome-plated. This gives them outstanding stability and resistance under continuous load.


Technologies and features.



2-component handle

Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids, and Skydrol.

Technical drawing.



Technical attributes.

Jaw length mm (L3)	70 mm
Width mm (b)	57 mm
DIN	DIN ISO 5745
Handles	2-component handles
Height mm (h)	22 mm
Header	chrome-plated
Head width mm (W3)	20 mm
Head thickness mm (T2)	11 mm
Length mm (L)	200 mm
Physical length [mm]	206 mm
Centre width mm (W4)	5 mm
Tip thickness mm (T1)	4 mm

Logistics data.

Depth mm (IFS)	260
Width mm (IFS)	80
Height mm (IFS)	18
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	265
Width (packaged, mm)	110
Height (packaging, mm)	74
Volume (packaged, dm3)	2.1571 dm3
Product no.	67301200
Weight (gross, kg)	1,140
Weight PAP (kg)	0,056
Weight PVC (kg)	0,002
GTIN	4018754338689
Country of origin AWR	VIET NAM
Region of origin	Ausländischer Ursprung
Customs tariff no.	82032000
Packing standard	5
Weight (g)	215 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
67301160	6730 1 160 A	Telephone pliers L.160mm Header chrome-plated Handles 2-component handles	4018754338672
67301200	6730 1 200 A	Telephone pliers L.200mm Header chrome-plated Handles 2-component handles	4018754338689

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal