



Combination wrenches i.TCS inlay

TCS OPEN BOX 13/17 6-24MF

Product no. **96830351**
GTIN **4018754175222**
Model **OPEN BOX TCS 13/17**



Label.

Combination wrenches i.TCS inlay OPEN BOX TCS 13/17 17

Properties.

- **metric, identical** end sizes
- ring-end cranked 15°, jaw angled 15°
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- extremely resilient and durable
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A
- safely integrated in the modular Tool Control System (TCS)

Contains 17-pieces:

17 combination wrenches **No. 13:** 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16;
17; 18; 19; 21; 22; 24 mm

Benefits.

Made in Germany - Combination wrenches i.TCS inlay in TCS inlay, 17 , 6-24 mm, ring side 15° angled, DIN 3113 Form A / ISO 7738 Form A, Chrome Alloy Steel.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STAHLWILLE wrenches have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination wrenches are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool bags or TCS inlays.



PRODUCT IMAGE
IN PROGRESS

Order and check.

The set is securely organized in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organizes the tools in tool boxes, tool trolleys and workbenches. Two-color foam inlays make checking the completeness of the tools quick and easy.



Double-T profile

Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

| | |
|-----------------|---|
| Number of tools | 17 |
| Range | 6-24 |
| Width mm (b) | 350 mm |
| DIN | DIN 3113 Form A / ISO 7738 Form A |
| Height mm (h) | 60 mm |
| Contents | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm |
| Length mm (L) | 350 mm |
| Alloy | Chrome Alloy Steel |
| Surface | chrome-plated |
| Drawer dividers | 2/3 |

Logistics data.

| | |
|-------------------------------------|------------------------|
| Depth mm (IFS) | 360 |
| Width mm (IFS) | 360 |
| Height mm (IFS) | 80 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Length (packaged, mm) | 360 |
| Width (packaged, mm) | 360 |
| Height (packaging, mm) | 80 |
| Volume (packaged, dm ³) | 10.368 dm ³ |
| Product no. | 96830351 |
| Weight (gross, kg) | 2,340 |
| Weight PAP (kg) | 0,256 |
| Weight PVC (kg) | 0,000 |
| GTIN | 4018754175222 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Customs tariff no. | 82041100 |
| Packing standard | 1 |

Weight (g)

1700 g

Parts list.



40082424
Combination wrench



40082222
Combination wrench



40082121
Combination wrench



40081919
Combination wrench



40081818
Combination wrench



40081717
Combination wrench



40081616
Combination wrench



40081515
Combination wrench



40081414
Combination wrench



40081313
Combination wrench



40081212
Combination wrench



40081111
Combination wrench



40081010
Combination wrench



40080909
Combination wrench



40080808
Combination wrench



40080707
Combination wrench



40080606
Combination wrench

Variants.

| Product no. | Model No. (ERP) | Description | GTIN |
|-------------|-----------------------|---|---------------|
| 96830351 | OPEN BOX TCS 13/17 | Combination wrenches i.TCS inlay OPEN BOX TCS 13/17 17 | 4018754175222 |

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal