



Torque wrench MANOSKOP®

721 Quick



Product no. **50204005**
GTIN **4018754268917**
Model **721/5 QUICK**



Label.

Torque wrench MANOSKOP® 721 Quick 6-50N·m 3/8" L. 352mm

Product highlights.



Rapid adjustment.

Easy and quick adjustment of the torque is carried out by an easy-to-operate clamping lever in the handle. The scale can be moved quickly and safely with an ergonomically shaped, non-slip adjustment element with thumb recess.



Adjustment does not require disassembly.

Quick adjustment from outside, no disassembly of the torque wrench required, with 2 adjustment points for the maximum & minimum values.

Technologies and features.



Low-wear bending beam system

Our torque wrench is equipped with a low-wear release system with a bending beam. Unlike conventional torque wrenches with coiled springs, the bending beam is not subjected to any load until the tool is in operation, which means that the spring does not need to be reset to '0' after use.



2-component handle


Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids, and Skydrol. The arrow markings on the handle indicate the direction of operation.



DIN EN ISO 6789-2

Our torque wrenches and torque screwdrivers are professionally calibrated in accordance with DIN EN ISO 6789-2 and delivered with a corresponding calibration certificate. We also calibrate angle-controlled torque wrenches in accordance with VDI 2648-2. This ensures the accuracy and traceability of our tools.

Technical drawing.



Technical attributes.

Scale division N·m	2 N·m
Scale division ft·lb	1 ft·lb
Measuring range N·m	6-50 N·m
Measuring range ft·lb	5-36 ft·lb
External square drive (inch)	3/8
Number of teeth	30

Logistics data.

Depth mm (IFS)	352
Width mm (IFS)	40
Height mm (IFS)	50
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	370
Width (packaged, mm)	45
Height (packaging, mm)	50

b1	28 mm	Volume (packaged, dm3)	0.8325 dm3
b2	27,5 mm	Product no.	50204005
DIN	DIN EN ISO 6789-2:2017	Weight (gross, kg)	0,960
Size	5	Weight PAP (kg)	0,000
Height mm (h1)	23 mm	Weight PVC (kg)	0,000
Height mm (h2)	14,5 mm	GTIN	4018754268917
Length mm (L)	352 mm	Country of origin AWR	GERMANY
LF	293 mm	Region of origin	Nordrhein-Westfalen
MA N·m	6 N·m	Customs tariff no.	82041100
Nominal value N·m	50 N·m	Packing standard	1
		Weight (g)	880 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
50204005	721/5 QUICK	Torque wrench MANOSKOP® 721 Quick 6-50N·m 3/8" L. 352mm	4018754268917
50204015	721/15 QUICK	Torque wrench MANOSKOP® 721 Quick 30-150N·m 1/2" L. 452mm	4018754268924
50204020	721/20 QUICK	Torque wrench MANOSKOP® 721 Quick 40-200N·m 1/2" L. 483mm	4018754268931
50204030	721/30 QUICK	Torque wrench MANOSKOP® 721 Quick 60-300N·m 1/2" L. 553mm	4018754268948

GTIN.



Accessories (for).



81370002
Plastic box, empty

Spare part(s), spare part(s) for.



59191005

Spare part set for
ratchet

Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal