

## Torque screwdrivers TORSIOMETER

### 760/60



Product no. **51040060**  
GTIN **4018754118939**  
Model **760/60**



#### Label.

Torque screwdrivers TORSIOMETER Model 760/60 Hex 1/4"

#### Properties.

- indicating type
- torsion leaf spring as measuring element
- for clockwise and counter-clockwise tightening
- with drag pointer
- with 1/4" internal hex drive (F 6,3 DIN 3126 / ISO1173)
- comparative scale in-lb
- inserts and connectors with external hex E 6.3 (1/4") DIN 3126 / ISO 1173 fit securely in the bit holder
- calibration certificate in accordance with DIN EN ISO 6789-2:2017
- **accuracy  $\pm 4\%$**


## Technologies and features.



#### DIN EN ISO 6789-2

Our torque wrenches and torque screwdrivers are professionally calibrated in accordance with DIN EN ISO 6789-2 and delivered with a corresponding calibration certificate. We also calibrate angle-controlled torque wrenches in accordance with VDI 2648-2. This ensures the accuracy and traceability of our tools.

Technical drawing.



Technical attributes.

|                                |              |
|--------------------------------|--------------|
| Scale division cN·m            | 20 cN·m      |
| Measuring range cN·m           | 120-600 cN·m |
| Output hex drive internal (mm) | F 6,3 mm     |
| Measuring range in·lb          | 12-52 in·lb  |
| DIN                            | DIN 3126     |
| Size                           | 60           |
| internal hex drive [inch]      | 1/4 "        |
| Length mm (L)                  | 185 mm       |

Logistics data.

|                        |                     |
|------------------------|---------------------|
| Depth mm (IFS)         | 205                 |
| Width mm (IFS)         | 90                  |
| Height mm (IFS)        | 90                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Length (packaged, mm)  | 220                 |
| Width (packaged, mm)   | 100                 |
| Height (packaging, mm) | 100                 |
| Volume (packaged, dm3) | 2.2 dm3             |
| Product no.            | 51040060            |
| Weight (gross, kg)     | 0,465               |
| Weight PAP (kg)        | 0,023               |
| Weight PVC (kg)        | 0,000               |
| GTIN                   | 4018754118939       |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Customs tariff no.     | 82041100            |
| Packing standard       | 1                   |
| Weight (g)             | 230 g               |

Variants.

| Product no. | Model No. (ERP) | Description                                               | GTIN          |
|-------------|-----------------|-----------------------------------------------------------|---------------|
| 51040007    | 760/7,5         | Torque screwdrivers TORSIOMETER<br>Model 760/7,5 Hex 1/4" | 4018754118908 |
| 51040015    | 760/15          | Torque screwdrivers TORSIOMETER<br>Model 760/15 Hex 1/4"  | 4018754118915 |

|          |        |                                                          |               |
|----------|--------|----------------------------------------------------------|---------------|
| 51040030 | 760/30 | Torque screwdrivers TORSIOMETER<br>Model 760/30 Hex 1/4" | 4018754118922 |
| 51040060 | 760/60 | Torque screwdrivers TORSIOMETER<br>Model 760/60 Hex 1/4" | 4018754118939 |

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal