

Torque wrench service MANOSKOP®

730/80

Product no.

50180080

GTIN

4018754114764

Model

730/80





Label.

Torque wrench service MANOSKOP® 730/80 160-800N·m L. 970mm

Product highlights.



Adjustment does not require disassembly.

Quick adjustment from outside, no disassembly of the torque wrench required, with 2 adjustment points for the maximum & minimum values.

Technologies and features.



DIN EN ISO 6789-2


Our torque wrenches and torque screwdrivers are professionally calibrated in accordance with DIN EN ISO 6789-2 and delivered with a corresponding calibration certificate. We also calibrate angle-controlled torque wrenches in accordance with VDI 2648-2. This ensures the accuracy and traceability of our tools.



Low-wear bending beam system

Our torque wrench is equipped with a low-wear release system with a bending beam. Unlike conventional torque wrenches with coiled springs, the bending beam is not subjected to any load until the tool is in operation, which means that the spring does not need to be reset to '0' after use.

Technical drawing.



Technical attributes.

Scale division N·m	20 N·m
Scale division ft-lb	20 ft·lb
Measuring range N·m	160-800 N·m
Measuring range ft-lb	120-600 ft·lb
External square drive (mm)	24,5 x 28 mn
Width mm (b)	46 mm
Height mm (h)	43 mm
Length mm (L)	970 mm
LF	990 mm
SF	95 mm

Logistics data.

Depth mm (IFS)	1010	
Width mm (IFS)	43	
Height mm (IFS)	55	
WEEE/ElektroG	nicht ear-pflichtig	
Length (packaged, mm)	1140	
Width (packaged, mm)	150	
Height (packaging, mm)	65	
Volume (packaged, dm3)	11.115 dm3	
Product no.	50180080	
Weight (gross, kg)	5,796	
Weight PAP (kg)	0,000	
Weight PVC (kg)	0,040	
GTIN	4018754114764	
Country of origin AWR	GERMANY	

Region of origin Nordrhein-Westfalen

Customs tariff no. 82041100

Packing standard

Weight (g) 4925 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
50180080	730/80	Torque wrench service MANOSKOP® 730/80 160-800N·m L. 970mm	4018754114764

GTIN.

