



## Double-ended ring wrench sets StahlwilleSTABIL®, inch

### StahlwilleSTABIL® 20a

|             |                          |
|-------------|--------------------------|
| Product no. | 96414405                 |
| GTIN        | 4018754081165            |
| Model       | StahlwilleSTABIL® 20a/10 |



**Label.** Double-ended ring wrench set StahlwilleSTABIL® 20a/10 1/4x5/16-7/8x15/16 10

- Properties.**
- imperial, differing end sizes
  - deeply cranked, support angle 75°
  - durable, slim and lightweight design
  - high flexural strength due to double-T profile
  - STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
  - drop-forged, hardened, and cooled in an oil bath
  - Chrome Alloy Steel, chrome-plated
  - in cardboard packaging

## Benefits.

High quality double-ended ring wrench set, low-crank, in imperial AF wrench sizes.

The AS-Drive profile prevents damage to the fastener caused by force being applied to the edges of the nut or bolt.

Manufactured from durable Chrome Alloy Steel for a long service life and resistance to wear.

A special manufacturing process makes thin-walled rings possible - primarily for slightly lower-lying screw connections.

The distinctive STAHLWILLE rounded finish ensures the combination wrench is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

## Technologies and features.



### Double-T profile


Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

## Technical drawing.



## Technical attributes.

|                 |   |
|-----------------|---|
| Number of tools | 10  |
| Range           | 1/4x5/16-7/8x15/16  |
| Contents        | 1/4 x 5/16; 3/8 x 7/16; 1/2 x 9/16; 9/16 x 5/8; 19/32 x 11/16; 5/8 x 3/4; 11/16 x 13/16; 3/4 x 7/8; 25/32 x 13/16; 7/8 x 15/16" |
| Alloy           | Chrome Alloy Steel  |
| Surface         | chrome-plated   |
| Model No.       | 20a/10  |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Depth mm (IFS)         | 390                 |
| Width mm (IFS)         | 80                  |
| Height mm (IFS)        | 50                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Length (packaged, mm)  | 390                 |
| Width (packaged, mm)   | 80                  |
| Height (packaging, mm) | 50                  |
| Volume (packaged, dm3) | 1.56 dm3            |
| Product no.            | 96414405            |
| Weight (gross, kg)     | 2,200               |
| Weight PAP (kg)        | 0,090               |
| Weight PVC (kg)        | 0,000               |
| GTIN                   | 4018754081165       |

|                       |                     |
|-----------------------|---------------------|
| Country of origin AWR | GERMANY             |
| Region of origin      | Nordrhein-Westfalen |
| Customs tariff no.    | 82041100            |
| Packing standard      | 1                   |
| Weight (g)            | 2200 g              |

## Parts list.



41444446  
Double-ended ring  
wrench



41444142  
Double-ended ring  
wrench



41444044  
Double-ended ring  
wrench



41443842  
Double-ended ring  
wrench



41443640  
Double-ended ring  
wrench



41443538  
Double-ended ring  
wrench



41443436  
Double-ended ring  
wrench



41443234  
Double-ended ring  
wrench



41442428  
Double-ended ring  
wrench



41441620  
Double-ended ring  
wrench

## Variants.

| Product no. | Model No. (ERP)             | Description   | GTIN          |
|-------------|-----------------------------|---|---------------|
| 96414402    | StahlwilleSTABIL®<br>20a/6  | Double-ended ring wrench set<br>StahlwilleSTABIL® 20a/6<br>1/4x5/16-7/8x15/16 6   | 4018754081158 |
| 96414405    | StahlwilleSTABIL®<br>20a/10 | Double-ended ring wrench set<br>StahlwilleSTABIL® 20a/10<br>1/4x5/16-7/8x15/16 10 | 4018754081165 |

GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal