



## Combination wrench set OPEN BOX, inch

TCS 13217 WT OPEN BOX 13a/22

Product no. 96830125  
GTIN 4018754248803  
Model OPEN BOX TCS WT 13a/22



### Label.

Combination wrench set OPEN BOX TCS WT 13a/22 3/16-1.1/16 22


## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### Non-slip surface

STHLWILLE wrenches have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



### A solution for every situation.

Our combination wrenches are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool bags or TCS inlays.



PRODUCT IMAGE  
IN PROGRESS

### Order and check.

The set is securely organized in a STHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

## Technologies and features.



### Tool Control System

The intelligent modular inlay system protects and organizes the tools in tool boxes, tool trolleys and workbenches. Two-color foam inlays make checking the completeness of the tools quick and easy.



### Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the bolt head.



### Double-T profile

Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings


The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



### Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

## Technical drawing.



## Technical attributes.

Number of tools	22
Range	3/16-1.1/16
Width mm (b)	460 mm
Height mm (h)	60 mm
Length mm (L)	250 mm
Alloy	Chrome Alloy Steel

## Logistics data.

Depth mm (IFS)	460
Width mm (IFS)	250
Height mm (IFS)	58
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	460
Width (packaged, mm)	250
Height (packaging, mm)	58
Volume (packaged, dm <sup>3</sup> )	6.67 dm <sup>3</sup>
Product no.	96830125
Weight (gross, kg)	2,440
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754248803
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	2440 g

## Parts list.



40485050  
Combination wrench



40484848  
Combination wrench



40484646  
Combination wrench



40484444  
Combination wrench



40484242  
Combination wrench



40484141  
Combination wrench



40484040  
Combination wrench



40483838  
Combination wrench



40483636  
Combination wrench



40483535  
Combination wrench



40483434  
Combination wrench



40483232  
Combination wrench



40482828  
Combination wrench



40482424  
Combination wrench



40482222  
Combination wrench



40482020  
Combination wrench



40481818  
Combination wrench



40481616  
Combination wrench



40481515  
Combination wrench



40481414  
Combination wrench



40481313  
Combination wrench



40481212  
Combination wrench

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
96830125	OPEN BOX TCS WT 13a/22	Combination wrench set OPEN BOX TCS WT 13a/22 3/16-1.1/16 22	4018754248803

## GTIN.



## Images.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal