




Combination wrench set OPEN BOX, metric

TCS 13217 WT OPEN BOX 13/18 6-24



Product no. 96830121
GTIN 4018754248766
Model OPEN BOX TCS WT 13/18



Label.

Combination wrench set OPEN BOX TCS WT 13/18 6-24 18


Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STHLWILLE wrenches have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination wrenches are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool bags or TCS inlays.



PRODUCT IMAGE
IN PROGRESS

Order and check.

The set is securely organized in a STHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organizes the tools in tool boxes, tool trolleys and workbenches. Two-color foam inlays make checking the completeness of the tools quick and easy.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the bolt head.



Double-T profile

Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Number of tools	18
Range	6-24
Width mm (b)	460 mm
DIN	DIN 3113 Form A / ISO 7738 Form A
Height mm (h)	60 mm
Length mm (L)	250 mm
Alloy	Chrome Alloy Steel

Logistics data.

Depth mm (IFS)	460
Width mm (IFS)	250
Height mm (IFS)	30
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	460
Width (packaged, mm)	250
Height (packaging, mm)	30
Volume (packaged, dm ³)	3.45 dm ³
Product no.	96830121
Weight (gross, kg)	1,940
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
GTIN	4018754248766
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	1940 g

Parts list.



40082424
Combination wrench



40082222
Combination wrench



40082121
Combination wrench



40082020
Combination wrench



40081919
Combination wrench



40081818
Combination wrench



40081717
Combination wrench



40081616
Combination wrench



40081515
Combination wrench



40081414
Combination wrench



40081313
Combination wrench



40081212
Combination wrench



40081111
Combination wrench



40081010
Combination wrench



40080909
Combination wrench



40080808
Combination wrench



40080707
Combination wrench



40080606
Combination wrench

Variants.

Product no.	Model No. (ERP)	Description	GTIN
96830121	OPEN BOX TCS WT 13/18	Combination wrench set OPEN BOX TCS WT 13/18 6-24 18	4018754248766

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal