



## Telephone pliers

**6730**

Product no. **67301160**  
GTIN **4018754338672**  
Model **6730 1 160 A**



### Label.

Telephone pliers L.160mm Header chrome-plated Handles 2-component handles

### Properties.

- straight with cutters and burner hole
- for precise gripping of nuts, pins and cotter pins
- flat-round, tapered jaws with serrated gripping surface
- hardened and tempered steel, drop-forged
- cutting edges with additional induction hardening to approx. 64 HRC
- chrome-plated
- with 2-component handles
- DIN ISO 5745

## Benefits.

High-quality telephone pliers with cutting edge and burner hole for optimal gripping, holding, cutting and bending.

Additional inductive hardening of the cutting edges (approx. 64 HRC) supports optimum cutting performance during continuous use.

Made from hardened and tempered steel for increased durability and reliable performance, even in continuous use.

The sharp, hardened cutting edges deliver equally precise results with both hard and soft wire.

The ergonomically shaped, non-slip 2-component handles offer an optimal grip for low-fatigue work.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### Universal use.

The fine and coarsely toothed gripping surfaces of the combination pliers enable a wide range of applications without the need for additional tools. It can be used to grip, hold and bend a wide range of objects. The specially hardened, high-precision jaws cut wires and thin pieces of metal reliably and precisely.



PRODUCT IMAGE  
IN PROGRESS

### Powerful performance.

Our pliers are designed to cut soft and hard wires. An additional inductive hardening of the cutting edges to approx. 64 HRC ensures precise and reliable cutting performance as well as a long service life.



PRODUCT IMAGE  
IN PROGRESS

### Outstanding craftsmanship.

The pliers are forged and additionally oil-hardened and chrome-plated. This gives them outstanding stability and resistance under continuous load.


## Technologies and features.



### 2-component handle

Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids, and Skydrol.

## Technical drawing.



## Technical attributes.

|                        |                     |
|------------------------|---------------------|
| Jaw length mm (L3)     | 47 mm               |
| Width mm (b)           | 55 mm               |
| DIN                    | DIN ISO 5745        |
| Handles                | 2-component handles |
| Height mm (h)          | 21 mm               |
| Header                 | chrome-plated       |
| Head width mm (W3)     | 18 mm               |
| Head thickness mm (T2) | 9.5 mm              |
| Length mm (L)          | 160 mm              |
| Physical length [mm]   | 165 mm              |
| Centre width mm (W4)   | 3.5 mm              |
| Tip thickness mm (T1)  | 3.5 mm              |

## Logistics data.

|                        |                        |
|------------------------|------------------------|
| Depth mm (IFS)         | 160                    |
| Width mm (IFS)         | 55                     |
| Height mm (IFS)        | 18                     |
| WEEE/ElektroG          | nicht ear-pflichtig    |
| Length (packaged, mm)  | 204                    |
| Width (packaged, mm)   | 125                    |
| Height (packaging, mm) | 65                     |
| Volume (packaged, dm3) | 1.6575 dm3             |
| Product no.            | 67301160               |
| Weight (gross, kg)     | 0,836                  |
| Weight PAP (kg)        | 0,066                  |
| Weight PVC (kg)        | 0,002                  |
| GTIN                   | 4018754338672          |
| Country of origin AWR  | VIET NAM               |
| Region of origin       | Ausländischer Ursprung |
| Customs tariff no.     | 82032000               |
| Packing standard       | 5                      |
| Weight (g)             | 155 g                  |

## Variants.

| Product no. | Model No. (ERP) | Description   | GTIN          |
|-------------|-----------------|---|---------------|
| 67301160    | 6730 1 160 A    | Telephone pliers L.160mm Header chrome-plated Handles 2-component handles | 4018754338672 |
| 67301200    | 6730 1 200 A    | Telephone pliers L.200mm Header chrome-plated Handles 2-component handles | 4018754338689 |

**GTIN.**



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal