



## Double-ended ring wrench sets StahlwilleSTABIL®, inch

### StahlwilleSTABIL® 20a

Product no. **96414402**  
GTIN **4018754081158**  
Model **StahlwilleSTABIL® 20a/6**



**Label.** Double-ended ring wrench set StahlwilleSTABIL® 20a/6 1/4x5/16-7/8x15/16 6

- Properties.**
- **imperial, differing** end sizes
  - deeply cranked, support angle 75°
  - durable, slim and lightweight design
  - high flexural strength due to double-T profile
  - STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
  - drop-forged, hardened, and cooled in an oil bath
  - Chrome Alloy Steel, chrome-plated
  - in cardboard packaging

## Benefits.

High quality double-ended ring wrench set, low-crank, in imperial AF wrench sizes.

The AS-Drive profile prevents damage to the fastener caused by force being applied to the edges of the nut or bolt.

Manufactured from durable Chrome Alloy Steel for a long service life and resistance to wear.

A special manufacturing process makes thin-walled rings possible - primarily for slightly lower-lying screw connections.

The distinctive STAHLWILLE rounded finish ensures the combination wrench is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

## Technologies and features.



### Double-T profile


Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

## Technical drawing.



## Technical attributes.

Number of tools	6
Range	1/4x5/16-7/8x15/16
Contents	1/4 x 5/16; 3/8 x 7/16; 1/2 x 9/16; 5/8 x 3/4; 11/16 x 13/16; 7/8 x 15/16"
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Model No.	20a/6

## Logistics data.

Depth mm (IFS)	350
Width mm (IFS)	55
Height mm (IFS)	40
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	350
Width (packaged, mm)	55
Height (packaging, mm)	40
Volume (packaged, dm3)	0.77 dm3
Product no.	96414402
Weight (gross, kg)	1,200
Weight PAP (kg)	0,066
Weight PVC (kg)	0,000
GTIN	4018754081158

Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	1200 g

## Parts list.



41444446  
Double-ended ring  
wrench



41443842  
Double-ended ring  
wrench



41443640  
Double-ended ring  
wrench



41443234  
Double-ended ring  
wrench



41442428  
Double-ended ring  
wrench



41441620  
Double-ended ring  
wrench

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
96414402	StahlwilleSTABIL® 20a/6	Double-ended ring wrench set StahlwilleSTABIL® 20a/6 1/4x5/16-7/8x15/16 6	4018754081158
96414405	StahlwilleSTABIL® 20a/10	Double-ended ring wrench set StahlwilleSTABIL® 20a/10 1/4x5/16-7/8x15/16 10	4018754081165

## GTIN.



4 018754 081158



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal