

QuickRelease extension

509QR



Product no. **13011003**
GTIN **4018754141289**
Model **509QR/10**



Label. 1/2 " QuickRelease extension L.255mm

- Properties.**
- with QuickRelease safety lock
 - with ball locking function
 - Chrome Alloy Steel, chrome-plated
 - DIN 3123 / ISO 3316

Benefits.

Practical extension for hand operated sockets with 1/2" square drive and ball lock.

The extension ensures stable connections even in long threaded holes.

The high-quality Chrome Alloy Steel construction promises a long service life.

The socket wrench adapter ensures optimum power transmission even in hard-to-reach places.

Patented QuickRelease locking system secures every component from ratchet and the joint to the socket without loss of space.



Product highlights.



PRODUCT IMAGE
IN PROGRESS

A solution for every situation.

Our socket extensions are available in various versions (different output sizes, straight and bent shapes, with and without QR, imperial, with wobble drive or as a VDE version).



PRODUCT IMAGE
IN PROGRESS

Safe for hard-to-reach bolts.

The combination of optimal working length and ball lock ensures a secure hold of the sockets. This enables high and safe power transmission in hard-to-reach places and for low-lying threaded connections, e.g. for repairs on cars and trucks.



PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and durability in continuous use. It also has a corrosion-resistant chrome-plated finish.

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical attributes.

| | |
|------------------------------|---------------------|
| External square drive (inch) | 1/2 |
| Square drive inner (inch) | 1/2 " |
| d | 23 mm |
| DIN | DIN 3123 / ISO 3316 |
| Size | 10 |

Logistics data.

| | |
|-----------------------|---------------------|
| Depth mm (IFS) | 255 |
| Width mm (IFS) | 24 |
| Height mm (IFS) | 24 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Length (packaged, mm) | 255 |

| | | | |
|----------------------|--------|-------------------------------|---------------------|
| Length mm (L) | 255 mm | Width (packaged, mm) | 25 |
| | | Height (packaging, mm) | 25 |
| | | Volume (packaged, dm3) | 0.159375 dm3 |
| | | Product no. | 13011003 |
| | | Weight (gross, kg) | 0,350 |
| | | Weight PAP (kg) | 0,000 |
| | | Weight PVC (kg) | 0,006 |
| | | GTIN | 4018754141289 |
| | | Country of origin AWR | GERMANY |
| | | Region of origin | Nordrhein-Westfalen |
| | | Customs tariff no. | 82042000 |
| | | Packing standard | 1 |
| | | Weight (g) | 341 g |

Variants.

| Product no. | Model No. (ERP) | Description | GTIN |
|-------------|-----------------|--------------------------------------|---------------|
| 13011001 | 509QR/2 | 1/2 " QuickRelease extension L.52mm | 4018754141265 |
| 13011004 | 509QR/3 | 1/2 " QuickRelease extension L.75mm | 4018754151011 |
| 13011002 | 509QR/5 | 1/2 " QuickRelease extension L.130mm | 4018754141272 |
| 13011003 | 509QR/10 | 1/2 " QuickRelease extension L.255mm | 4018754141289 |

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal