



Separation assemblies

11500

| | |
|-------------|----------------------|
| Product no. | 71050018 |
| GTIN | 4018754342242 |
| Model | 11500/3 |

Label.

Separation assembly

Properties.

- for pullers 11501/1-4
- for separating and removing ball bearings, roller bearings, bushings, wheels and other tightly fitting parts
- the puller pins of the puller are screwed into the separation assembly
- separator jaws slide under the component to be removed
- zinc plated

Benefits.

For use with puller 11501.

For quick separation and extraction of tight fitting parts such as gears, ball bearings and belt pulleys.

Sharp jaws make reliable detachment possible in areas where there is insufficient room for puller hooks.

The separating jaws are clamped by tightening the nuts on the side bolts evenly.

Protects sensitive components thanks to the smooth, even surface of the large contact areas.

Product highlights.



**PRODUCT IMAGE
IN PROGRESS**

Gentle separation and pulling.

The wedge-shaped contact surfaces have an even surface, which protects the sensitive components during the separation or pulling process.



PRODUCT IMAGE
IN PROGRESS

Excellent quality.


STAHLWILLE is known for high-quality tools. The tool is carefully constructed, made of robust steel and galvanized for high durability and resistance to high loads.

For increased safety.

Thoughtfully designed, die-forged and precisely machined, hardened and tempered on state-of-the-art machines - the STAHLWILLE puller range offers numerous products for a wide range of applications. For example, terminal pullers, pullers for ball joints, counter stays or ball joint extractors - always in premium quality.



Technical drawing.



Technical attributes.

| | |
|-----------------------------------|--|
| Ball bearing ISO | 6000; 6001; 6201; 6202; 6203; 6204; 6205; 6206; 6207; 6208; 6209; 6210; 6211; 6212 |
| for thread | M14 x 1,5 |
| Size | 3 |
| Model No. | 11500/3 |
| Spreading range (e) min./ max. | 22-115 mm |

Logistics data.

| | |
|------------------------|---------------------|
| Depth mm (IFS) | 212 |
| Width mm (IFS) | 165 |
| Height mm (IFS) | 28 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Length (packaged, mm) | 248 |
| Width (packaged, mm) | 170 |
| Height (packaging, mm) | 33 |
| Volume (packaged, dm3) | 1.39128 dm3 |
| Product no. | 71050018 |
| Weight (gross, kg) | 2,292 |

| | |
|-----------------------|---------------------|
| Weight PAP (kg) | 0,056 |
| Weight PVC (kg) | 0,000 |
| GTIN | 4018754342242 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Customs tariff no. | 82055980 |
| Packing standard | 1 |
| Weight (g) | 2400 g |

Variants.

| Product no. | Model No. (ERP) | Description | GTIN |
|-------------|-----------------|---------------------|---------------|
| 71050016 | 11500/1 | Separation assembly | 4018754342228 |
| 71050017 | 11500/2 | Separation assembly | 4018754342235 |
| 71050018 | 11500/3 | Separation assembly | 4018754342242 |
| 71050019 | 11500/4 | Separation assembly | 4018754342259 |

GTIN.



Images.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal