



Socket

50TX

Product no. **03270024**
GTIN **4018754007325**
Model **50TX E24 TORX®**



Label. 1/2 " Socket L.41.2mm

Properties.

- for external TORX® screws
- 1/2" internal square drive
- HPQ® high performance steel, chrome-plated

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	TORX®
Square drive inner (inch)	1/2 "
d1	27,8 mm
d2	26 mm
d3	14,1 mm
Size drive profile	E24
Length mm (L)	41,2 mm
t1	17,5 mm
t2	23,6 mm

Logistics data.

Depth mm (IFS)	42
Width mm (IFS)	29
Height mm (IFS)	29
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	170
Width (packaged, mm)	80
Height (packaging, mm)	50
Volume (packaged, dm3)	0.68 dm3
Product no.	03270024
Weight (gross, kg)	1,195
Weight PAP (kg)	0,000
Weight PVC (kg)	0,006
GTIN	4018754007325
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	10
Weight (g)	123 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
03270010	50TX E10 TORX®	1/2 " Socket L.38mm	4018754007257
03270011	50TX E11 TORX®	1/2 " Socket L.38mm	4018754007264
03270012	50TX E12 TORX®	1/2 " Socket L.38mm	4018754007271

03270014	50TX E14 TORX®	1/2 " Socket L.38mm	4018754007288
03270016	50TX E16 TORX®	1/2 " Socket L.38mm	4018754007295
03270018	50TX E18 TORX®	1/2 " Socket L.38mm	4018754007301
03270020	50TX E20 TORX®	1/2 " Socket L.38mm	4018754007318
03270024	50TX E24 TORX®	1/2 " Socket L.41.2mm	4018754007325

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal