



## Extension

509



Product no. **13010003**  
GTIN **4018754012992**  
Model **509/10**

**Label.** 1/2 " Extension L.255mm

**Properties.**

- Chrome Alloy Steel, chrome-plated
- DIN 3123 / ISO 3316 6

## Benefits.

High-quality extension for use in the workshop, DIY or industry.

The socket wrench adapter ensures optimum power transmission even in hard-to-reach places.

The high-quality Chrome Alloy Steel construction promises a long service life.

Practical extension for hand operated sockets with 1/2" square drive and ball lock.

The extension ensures stable connections even in long threaded holes.

## Product highlights.



**PRODUCT IMAGE  
IN PROGRESS**

### **A solution for every situation.**

Our socket extensions are available in various versions (different output sizes, straight and bent shapes, with and without QR, imperial, with wobble drive or as a VDE version).



PRODUCT IMAGE  
IN PROGRESS

### Safe for hard-to-reach screws.

The combination of optimal working length and ball lock ensures a secure hold of the sockets. This enables high and safe power transmission in hard-to-reach places and for low-lying threaded connections, e.g. for repairs on cars and trucks.




PRODUCT IMAGE  
IN PROGRESS

### Outstanding craftsmanship.

The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and durability in continuous use. It also has a corrosion-resistant chrome-plated finish.

## Technical drawing.



## Technical attributes.

|                              |                     |
|------------------------------|---------------------|
| External square drive (inch) | 1/2                 |
| Square drive inner (inch)    | 1/2 "               |
| d                            | 23,2 mm             |
| DIN                          | DIN 3123 / ISO 3316 |
| Size                         | 10                  |
| Length mm (L)                | 255 mm              |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Depth mm (IFS)         | 256                 |
| Width mm (IFS)         | 23                  |
| Height mm (IFS)        | 23                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Length (packaged, mm)  | 270                 |
| Width (packaged, mm)   | 110                 |
| Height (packaging, mm) | 23                  |
| Volume (packaged, dm3) | 0.6831 dm3          |
| Product no.            | 13010003            |
| Weight (gross, kg)     | 1,720               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,012               |
| GTIN                   | 4018754012992       |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |

|                    |          |
|--------------------|----------|
| Customs tariff no. | 82042000 |
| Packing standard   | 5        |
| Weight (g)         | 341 g    |

## Variants.

| Product no. | Model No. (ERP) | Description             | GTIN          |
|-------------|-----------------|-------------------------|---------------|
| 13010001    | 509/2           | 1/2 " Extension L.52mm  | 4018754012978 |
| 13010002    | 509/5           | 1/2 " Extension L.130mm | 4018754012985 |
| 13010003    | 509/10          | 1/2 " Extension L.255mm | 4018754012992 |
| 13010004    | 509/3           | 1/2 " Extension L.75mm  | 4018754013005 |

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal