



## Ring ratchet insert adapter 718

718

Product no. **58170227**

GTIN **4018754348503**

Model **718 27**



**Label.**

Ring ratchet insert adapter 27mm Tool holder 14 x 18

## Product highlights.



### Fine-tooth ring ratchet.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.



### For confined spaces.

This ring ratchet insert adapter enables precise work with a working angle of just 5°. Thanks to its slim design, it is particularly well-suited for use in tight and hard-to-reach areas where larger movements are not possible.



### Safe switching.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.



### Safe and durable.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

Number of teeth	72
Working angle	5 °
Width mm (b)	52 mm
Tool holder size [internal square]	14 x 18 mm
Height mm (h)	15,6 mm
Alloy	HPQ® high performance steel
max. torque	360 N·m
S	55 mm
Size [mm]	27 mm

## Logistics data.

Depth mm (IFS)	105
Width mm (IFS)	56
Height mm (IFS)	22
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	115
Width (packaged, mm)	68
Height (packaging, mm)	24
Volume (packaged, dm3)	0,18768 dm3
Product no.	58170227
Weight (gross, kg)	0,300
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754348503
Country of origin AWR	CHINA
Region of origin	Ausländischer Ursprung
Customs tariff no.	82042000
Packing standard	1
Weight (g)	296 g

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
58170217	718 17	Ring ratchet insert adapter 17mm Tool holder14 x 18	4018754348459
58170219	718 19	Ring ratchet insert adapter 19mm Tool holder14 x 18	4018754348466
58170221	718 21	Ring ratchet insert adapter 21mm Tool holder14 x 18	4018754348473
58170222	718 22	Ring ratchet insert adapter 22mm Tool holder14 x 18	4018754348480
58170224	718 24	Ring ratchet insert adapter 24mm Tool holder14 x 18	4018754348497
58170227	718 27	Ring ratchet insert adapter 27mm Tool holder14 x 18	4018754348503

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal