



## Socket

60

Product no. **06010034**  
GTIN **4018754009893**  
Model **60 34**



**Label.** 1 " Socket Size 34mm L.67mm

**Properties.**

- bi-hex with AS-Drive profile
- 1" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124 / ISO 2725-1

## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

Drive profile	bi-hex AS-Drive
Square drive inner (inch)	1 "
d1	47 mm
d2	43 mm
d3	31 mm
DIN	DIN 3124 / ISO 2725-1
Length mm (L)	67 mm
Size [mm]	34 mm
t1	24 mm
t2	34 mm

## Logistics data.

Depth mm (IFS)	65
Width mm (IFS)	47
Height mm (IFS)	47
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	100
Width (packaged, mm)	75
Height (packaging, mm)	50
Volume (packaged, dm <sup>3</sup> )	0.375 dm <sup>3</sup>
Product no.	06010034
Weight (gross, kg)	0,796
Weight PAP (kg)	0,000
Weight PVC (kg)	0,006
GTIN	4018754009893
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	2
Weight (g)	398 g

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
06010030	60 30	1 " Socket Size 30mm L.65mm	4018754009879
06010032	60 32	1 " Socket Size 32mm L.67mm	4018754009886
06010034	60 34	1 " Socket Size 34mm L.67mm	4018754009893

06010036	60 36	1 " Socket Size 36mm L.67mm	4018754009909
06010041	60 41	1 " Socket Size 41mm L.70mm	4018754009916
06010046	60 46	1 " Socket Size 46mm L.75mm	4018754009923
06010050	60 50	1 " Socket Size 50mm L.80mm	4018754009930
06010055	60 55	1 " Socket Size 55mm L.85mm	4018754009947
06010060	60 60	1 " Socket Size 60mm L.90mm	4018754009954

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal