# STAHLWILLE()®



Combination ratchet wrench set OPEN RATCH, 5-pieces, offset, imperial, in TCS inlay

#### TCS OPEN RATCH 17a/5

Product no. **96830653** 

GTIN **4018754344857** 

Model TCS 17A/5







Label.

Combination ratchet wrench set TCS 17A/5 1/4-9/16" 5

Properties.

- imperial, identical end sizes
- jaw angled 15°
- · ring with bi-hex
- ring-end cranked 15°
- integrated ratchet with 72 teeth, with a working angle of 5°
- · controlled right/left tightening using the switch on the ring
- · reinforced connection between jaw and shaft
- · durable, slim and lightweight design
- · high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- · Chrome Alloy Steel, chrome-plated
- safely integrated in the modular Tool Control System (TCS)

#### Contains 5-pieces:

5 combination ratchet wrenches **No. 17a**: 1/4; 5/16; 3/8; 7/16; 9/16"

### Benefits.

High-quality combination ratcheting wrench set in imperial AF sizes.

The integrated ratchet with 72 teeth makes it possible to ratchet at an angle of just 5°.

The open end is angled 15° for better accessibility when tightening or loosening bolts.

The distinctive STAHLWILLE rounded finish ensures the combination ratcheting wrench is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

In a TCS inlay - a clear and secure storage solution for tool trolleys and workbenches.

### Product highlights.



#### Field-tested configuration.

Our ratcheting combination wrench set contains the most common wrench sizes with inch dimensions and therefore covers a wide range of possible applications. The jaw opening is inclined by  $15^{\circ}$ , which means that it lies precisely against the bolts and therefore guarantees optimum power transmission. The integrated fine-tooth ratchet enables bolts to be tightened quickly and efficiently without having to remove the wrench.



#### Excellent workmanship.

Our wrenches are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. The also have a corrosion-resistant chrome-plated finish.



#### Non-slip surface.

The STAHLWILLE wrenches have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



#### Order and check.

The set is securely organized in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

## Technologies and features.



#### Double-T profile

Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



#### Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.



#### **Tool Control System**

The intelligent modular inlay system protects and organizes the tools in tool boxes, tool trolleys and workbenches. Two-color foam inlays make checking the completeness of the tools quick and easy.

### Technical attributes.

Number of tools	5	
Range	1/4-9/16"	
Width mm (b)	175 mm	
Height mm (h)	40 mm	
Length mm (L)	350 mm	
Alloy	Chrome Alloy Steel	
Surface	chrome-plated	

**Drawer dividers** 1/3

## Logistics data.

Depth mm (IFS)	345
Width mm (IFS)	177
Height mm (IFS)	40
WEEE/ElektroG	nicht ear-pflichtig

Length (packaged, mm)366Width (packaged, mm)177

Height (packaging, mm) 40

 Volume (packaged, dm3)
 2.59128 dm3

 Product no.
 96830653

 Weight (gross, kg)
 0,680

 Weight PAP (kg)
 0,138

 Weight PAP (kg)
 0,138

 Weight PVC (kg)
 0,000

**GTIN** 4018754344857

CHINA

Region of origin Ausländischer Ursprung

Customs tariff no. 82041100

Packing standard 1

Country of origin AWR

**Weight (g)** 350 g

### Parts list.









TAIWAN, PROVINCE OF

41473434 Combination ratchet wrench 41472828 Combination ratchet wrench

41472424 Combination ratchet wrench 41472020 Combination ratchet wrench



41471616 Combination ratchet wrench

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
96830653	TCS 17A/5	Combination ratchet wrench set TCS 17A/5 1/4-9/16" 5	4018754344857

## GTIN.



# Spare part(s), spare part(s) for.



83840038 1/3 TCS inlay

## Images.



### STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal