


## HI-LOK™ L-Keys

10759

Product no. **43064002**  
GTIN **4018754026302**  
Model **10759/2 2**



### Label.

HI-LOK™ L-Key Output hex 2 mm L.100mm x 100mm

### Properties.

- for **metric** hex socket head screws
- with hex tip, for use with ratchet No. 415SGH N
- with round shaft for locking the retaining ball


## Technologies and features.



### HI-LOK™

HI-LOK™ fasteners are widely used in the aerospace industry. Our HI-LOK™ ratchet with centred channel guide for hex L-keys is designed for safety-critical applications. The boltless design minimizes the risk of FOD and ensures robust, vibration-resistant connections with high tensile strength.

## Technical drawing.



## Technical attributes.

Drive profile	hex
External output hex (mm)	2 mm
Size	2
L1	100 mm
L2	100 mm

## Logistics data.

Depth mm (IFS)	101
Width mm (IFS)	51
Height mm (IFS)	3
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	110
Width (packaged, mm)	58
Height (packaging, mm)	6
Volume (packaged, dm3)	0.03828 dm3
Product no.	43064002
Weight (gross, kg)	0,040
Weight PAP (kg)	0,000
Weight PVC (kg)	0,003
GTIN	4018754026302
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82054000
Packing standard	5
Weight (g)	8 g

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
43062002	10759/1 2	HI-LOK™ L-Key Output hex 2 mm L.50mm x 100mm	4018754026272
43064002	10759/2 2	HI-LOK™ L-Key Output hex 2 mm L.100mm x 100mm	4018754026302

## GTIN.



## Images.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal