STAHLWILLE()®



Tool trolleys 95 PRO

95/7 PRO

Product no. 81200165

GTIN **4018754334681** Model **TTS 95/7 R PRO**



Label.

Tool trolley 95/7 PRO 7 Drawer 496 x 827 x 1020 mm red, RAL 3020; black, RAL 9005

Properties.

three-stage safety concept:

- · central locking with a lateral cylinder lock and hinged key
- · individual locks prevent inadvertent opening during transit
- · tilt protection multiple drawers cannot be pulled out at the same time
- · stainless steel with reinforced handle
- all-round collision protection with impact damping
- tightly welded, resilient work and storage surface; end panel made of stainless steel
- oil and acid-resistant ball-bearing smooth-running wheels (Ø 125 mm) with thread guards to protect the bearings from dirt and threads, with 2 locking brakes
- paper roll holder and spray can holder included
- 7 easily removable drawers, black, full-extension runners with bearing cage guide
- two-sided perforated panel for hooks no. 8031-8041, e.g. for larger tools
- · can be fitted with STAHLWILLE standard and TCS inlays

Benefits.

7 easily removable drawers with practical full extension; the ball cage guide ensures smooth operation.

Oil and acid-resistant smooth-running castors (Ø 125 mm) with thread protection protect the bearings from dirt and threads, with 2 locking brakes.

The all-round bumper with impact damping effectively protects the workshop trolley and its surroundings from damage in the event of collisions.

The spacious storage area is fully welded and reliably sealed to protect the interior of the workshop.

Central locking via cylinder lock with a foldable key; the tilt protection prevents multiple drawers from being pulled out simultaneously.



Product highlights.



Takes on anything.

High-quality materials such as the tightly welded stainless steel tray with a scratch-resistant honeycomb structure ensure the durability typical of STAHLWILLE and prevent liquids from penetrating into the interior of the trolley. The work surface of 827 x 496 mm is particularly suitable for working on large components. Thanks to its robust construction, the 95 PRO has a static load capacity of 750 kg. Thanks to reinforcements, the drawers can be loaded with 30 kg and the bottom drawer with up to 45 kg.



Secure down to the last detail.

The drawers are centrally locked using a cylinder lock with a folding key. The single-drawer lock prevents unintentional opening while driving. In addition, only one drawer can always be opened at a time, ensuring reliable tipping protection.



Full configuration as standard.

Whether paper roll and spray can holders, all-round impact protection with shock absorption, perforations on both sides for attaching accessories, locking brakes or oil and acid-resistant smooth-running castors (Ø 125 mm) with thread protection. Our tool trolley comes with many features as standard.



Optimally organized.

All drawers can be pulled out 100%. In combination with the STAHLWILLE standard and TCS inserts or the variable drawer dividers, this ensures optimum overview and convenient tool removal at all times.

Technologies and features.



Modular Inlay System


This flexible solution for tool storage makes it possible to customise your tool trolleys and workbenches with 1/6, 1/3, 2/3 or 3/3 foam inlays.




Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

Technical drawing.





Technical attributes.

Number of drawers	7
Width mm (b)	827 mm
Colour	red, RAL 3020; black, RAL 9005
Colour abbreviation	RAL 3020; RAL 9005
Height mm (h)	1020 mm
Length mm (L)	496 mm
Model No.	95/7 R PRO
Internal drawer dimensions mm	346 x 528 x 73 mm (4x) 346 x 528 x 113 mm (2x) 346 x 528 x 170 mm (1x)
Drawer load capacity	30 kg 30 kg 45 kg
Load capacity	750 kg
	30 kg 30 kg 45 kg

Logistics data.

Depth mm (IFS)	720	
Width mm (IFS)	496	
Height mm (IFS)	863	
WEEE/ElektroG	nicht ear-pflichtig	
Length (packaged, mm)	836	
Width (packaged, mm)	587	
Height (packaging, mm)	940	
Volume (packaged, dm3)	461.28808 dm3	
Product no.	81200165	
Weight (gross, kg)	79,000	
Weight PAP (kg)	7,500	
Weight PVC (kg)	0,000	
GTIN	4018754334681	
Country of origin AWR	CHINA	
Region of origin	Ausländischer Ursprung	
Customs tariff no.	94032080	
Packing standard	1	
Weight (g)	71500 g	

Variants.

Product no.	Model No. (ERP)	Description	GTIN
81200163	TTS 95/7 A PRO	Tool trolley 95/7 PRO 7 Drawer 496 x 827 x 1020 mm anthracite, RAL 7016; black, RAL 9005	4018754334667
81200164	TTS 95/7 B PR0	Tool trolley 95/7 PRO 7 Drawer 496 x 827 x 1020 mm blue, RAL 270 30 35; black, RAL 9005	4018754334674
81200165	TTS 95/7 R PRO	Tool trolley 95/7 PRO 7 Drawer 496 x 827 x 1020 mm red, RAL 3020; black, RAL 9005	4018754334681

GTIN.



Accessories (for).



90432802 Protective cover




80310090 Single hook



90432727 Spray can holder



80320060 Twin hook



81483004 Paper roll holder



80340040 Twin hook



89010040 Cable holder



80340050 Twin hook



83812070 Empty tray for small components



80350017 Square lug



80350020 Square lug



81484001 Drawer divider



80360012 Spring clip



81484002 Drawer divider



89010041 Laptop holder



90432806 Rubber mat



80360018 Spring clip



81485006 Spring clip



80360024 Spring clip



81485012 Spring clip



80380030 Container



80410235 Holding device for spanners



80310030 Single hook



80310060 Single hook



80320030 Twin hook



89011053 Waste bin




89010042 Laptop holder adaptor

Spare part(s), spare part(s) for.



90432718 Lock, mechanical



81483004 Paper roll holder



90432719 Spray can holder



89480003 Set of wheels



81490001 81490005 Wheel set Wheel set

Images.





