

Double-ended ring wrenches, imperial

230a



Product no. 41611620
GTIN 4018754023059
Model 230a 1/4 x 5/16



Label.

Double-ended ring wrench Size 1/4 x 5/16 " L.180mm

Properties.

- **imperial, differing** end sizes
- flat cranked
- bi-hex with AS-Drive profile
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- HPQ® high performance steel, chrome-plated
- SAE AS 954 (dimensions and test values) / Fed. spec. GGG-W-636E / S.B.A.C. Techn. spec. T.S. 48 to 1/2"

Benefits.

High quality double-ended ring wrench, flat cranked, in imperial AF wrench sizes.

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.



Anti-Slip-Drive


The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the bolt head.



Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

Technical drawing.



Technical attributes.

a1	5,2 mm
a2	6 mm
Drive profile	bi-hex AS-Drive
d1	10,2 mm
d2	11,9 mm
Length mm (L)	180 mm
Alloy	HPQ® high performance steel
Surface	chrome-plated
Ring position	10 °
Size 1 [inch]	1/4 "
Size 2 [inch]	5/16 "
t1	7,9 mm
t2	8,8 mm

Logistics data.

Depth mm (IFS)	185
Width mm (IFS)	12
Height mm (IFS)	12
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	190
Width (packaged, mm)	65
Height (packaging, mm)	13
Volume (packaged, dm3)	0.16055 dm3
Product no.	41611620
Weight (gross, kg)	0,450
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754023059
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	10

Weight (g)

45 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
41611620	230a 1/4 x 5/16	Double-ended ring wrench Size 1/4 x 5/16 " L.180mm	4018754023059
41612022	230a 5/16 x 11/32	Double-ended ring wrench Size 5/16 x 11/32 " L.195mm	4018754158799
41612024	230a 5/16 x 3/8	Double-ended ring wrench Size 5/16 x 3/8 " L.195mm	4018754023066
41612428	230a 3/8 x 7/16	Double-ended ring wrench Size 3/8 x 7/16 " L.215mm	4018754023073
41612832	230a 7/16 x 1/2	Double-ended ring wrench Size 7/16 x 1/2 " L.225mm	4018754023080
41613234	230a 1/2 x 9/16	Double-ended ring wrench Size 1/2 x 9/16 " L.235mm	4018754023097
41613436	230a 9/16 x 5/8	Double-ended ring wrench Size 9/16 x 5/8 " L.245mm	4018754023103
41613640	230a 5/8 x 3/4	Double-ended ring wrench Size 5/8 x 3/4 " L.274mm	4018754023110
41613840	230a 11/16 x 3/4	Double-ended ring wrench Size 11/16 x 3/4 " L.275mm	4018754023127
41614244	230a 13/16 x 7/8	Double-ended ring wrench Size 13/16 x 7/8 " L.301mm	4018754139477
41614648	230a 15/16 x 1	Double-ended ring wrench Size 15/16 x 1 " L.340mm	4018754139484
41614850	230a 1 x 1.1/16	Double-ended ring wrench Size 1 x 1 1/16 " L.368mm	4018754139491
41615256	230a 1.1/8 x 1.1/4	Double-ended ring wrench Size 1 1/8 x 1 1/4 " L.403mm	4018754139507

GTIN.



4 018754 023059



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal