



## Combination ratchet wrench set OPEN RATCH, 5-pieces, offset, metric, in TCS inlay

### TCS OPEN RATCH 17/5

Product no. **96830650**  
GTIN **4018754328178**  
Model **OPEN RATCH TCS 17/5**



#### Label.

Combination ratchet wrench set OPEN RATCH TCS 17/5 8-19 5

#### Properties.

- **metric, identical** end sizes
- jaw angled 15°
- ring with bi-hex
- ring-end cranked 15°
- integrated ratchet with 72 teeth, with a working angle of 5°
- controlled right/left tightening using the switch on the ring
- reinforced connection between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- safely integrated in the modular Tool Control System (TCS)

#### Contains 5-pieces:

5 combination ratchet wrenches **No. 17:** 8; 10; 13; 17; 19 mm

## Benefits.

High-quality combination ratcheting wrench set in metric sizes.

The open end is angled 15° for better accessibility when tightening or loosening bolts.

In a TCS inlay - a clear and secure storage solution for tool trolleys and workbenches.

The integrated ratchet with 72 teeth makes it possible to ratchet at an angle of just 5°.

The distinctive STAHLWILLE rounded finish ensures the combination ratcheting wrench is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

## Product highlights.



### Field-tested configuration.

Our ratcheting combination wrench set contains the most common wrench sizes from 8 to 19 mm and therefore covers a wide range of possible applications. The jaw opening is inclined by 15°, which means that it lies precisely against the bolts and therefore guarantees optimum power transmission. The integrated fine-tooth ratchet enables screws to be tightened quickly and efficiently without having to remove the wrench.



### Excellent workmanship.

Our wrenches are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



### Non-slip surface.

The STAHLWILLE wrenches have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



### Order and check.

The set is securely organized in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

## Technologies and features.



### Double-T profile

Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.



### Tool Control System

The intelligent modular inlay system protects and organizes the tools in tool boxes, tool trolleys and workbenches. Two-color foam inlays make checking the completeness of the tools quick and easy.

## Technical attributes.

Number of tools	5
Range	8-19
Width mm (b)	175 mm
Height mm (h)	40 mm
Contents	8; 10; 13; 17; 19 mm
Length mm (L)	350 mm
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Drawer dividers	1/3

## Logistics data.

Depth mm (IFS)	360
Width mm (IFS)	180
Height mm (IFS)	40
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	360
Width (packaged, mm)	180
Height (packaging, mm)	40
Volume (packaged, dm <sup>3</sup> )	2.592 dm <sup>3</sup>
Product no.	96830650
Weight (gross, kg)	0,784
Weight PAP (kg)	0,138
Weight PVC (kg)	0,000
GTIN	4018754328178
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	780 g

## Parts list.



41171919  
Combination ratchet  
wrench



41171717  
Combination ratchet  
wrench



41171313  
Combination ratchet  
wrench



41171010  
Combination ratchet  
wrench



41170808  
Combination ratchet  
wrench

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
96830650	OPEN RATCH TCS 17/5	Combination ratchet wrench set OPEN RATCH TCS 17/5 8-19 5	4018754328178

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal