



## IMPACT rubber rings 1/2"

5091IMP

Product no. **39011940**  
GTIN **4018754017577**  
Model **5091/1 IMP**

**Label.** IMPACT rubber ring 1/2 " for 8-14 mm; E10-E16; T30-T60

**Properties.** • for IMPACT socket tools

## Technical attributes.

Hand-/ Maschinenbetätigung	für Maschinenbetätigung
Square drive inner (inch)	1/2 "
Size	1IMP
Suitable for	8-14 mm; E10-E16; T30-T60

## Logistics data.

Depth mm (IFS)	27
Width mm (IFS)	27
Height mm (IFS)	4
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	55
Width (packaged, mm)	50
Height (packaging, mm)	17
Volume (packaged, dm <sup>3</sup> )	0.04675 dm <sup>3</sup>
Product no.	39011940
Weight (gross, kg)	0,010
Weight PAP (kg)	0,000
Weight PVC (kg)	0,006
GTIN	4018754017577
Region of origin	Ausländischer Ursprung
Customs tariff no.	40169300
Packing standard	10
Weight (g)	1 g

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
39011940	5091/1 IMP	IMPACT rubber ring 1/2 " for 8-14 mm; E10-E16; T30-T60	4018754017577
39012440	5091/2 IMP	IMPACT rubber ring 1/2 " for 15-36 mm; E18-E 24	4018754017584

## GTIN.



## Accessories (for).



23080010  
IMPACT socket



23080012  
IMPACT socket



23080014  
IMPACT socket



23080016  
IMPACT socket



23070030  
IMPACT screwdriver  
socket



23070040  
IMPACT screwdriver  
socket



23070045  
IMPACT screwdriver  
socket



23070050  
IMPACT screwdriver  
socket



23070055  
IMPACT screwdriver  
socket



23070060  
IMPACT screwdriver  
socket



23010008  
IMPACT socket



23010010  
IMPACT socket



23010011  
IMPACT socket



23010012  
IMPACT socket



23010013  
IMPACT socket



23010014  
IMPACT socket



96231508  
Set of IMPACT  
screwdriver sockets  
TORX® on socket clip  
rail



96231507  
Set of IMPACT INHEX  
screwdriver sockets on  
socket clip rail



96231503  
Set of IMPACT sockets  
on socket clip rail



96231504  
Set of IMPACT sockets  
on socket clip rail



96231505  
Set of IMPACT INHEX  
sockets on socket clip  
rail



96231506  
Set of IMPACT  
screwdriver sockets  
TORX® on socket clip  
rail

