

## Ratchet ring wrenches OPEN-RATCH i.TCS inlay

### TCS OPEN RATCH 17/12

Product no. **96830649**  
GTIN **4018754240593**  
Model **OPEN RATCH TCS 17/12**



#### Label.

Ratchet ring wrenches OPEN-RATCH i.TCS inlay OPEN RATCH TCS 17/12 8-19 12

#### Properties.

- **metric, identical** end sizes
- jaw angled 15°
- ring with bi-hex
- ring-end cranked 15°
- integrated ratchet with 72 teeth, with a working angle of 5°
- controlled right/left tightening using the switch on the ring
- reinforced connection between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- safely integrated in the modular Tool Control System (TCS)

#### Contains 12-pieces:

12 combination ratchet wrenches **No. 17:** 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm

## Benefits.

High-quality combination ratcheting wrench set in metric sizes.

The open end is angled 15° for better accessibility when tightening or loosening bolts.

In a TCS inlay - a clear and secure storage solution for tool trolleys and workbenches.

The integrated ratchet with 72 teeth makes it possible to ratchet at an angle of just 5°.

The distinctive STAHLWILLE rounded finish ensures the combination ratcheting wrench is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

## Product highlights.



### Field-tested configuration.

Our ratcheting combination wrench set contains the most common wrench sizes from 8 to 19 mm and therefore covers a wide range of possible applications. The jaw opening is inclined by 15°, which means that it lies precisely against the bolts and therefore guarantees optimum power transmission. The integrated fine-tooth ratchet enables screws to be tightened quickly and efficiently without having to remove the wrench.



### Excellent workmanship.

Our wrenches are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



### Non-slip surface.

The STAHLWILLE wrenches have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



### Order and check.

The set is securely organized in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

## Technologies and features.



### Double-T profile

Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.



### Tool Control System

The intelligent modular inlay system protects and organizes the tools in tool boxes, tool trolleys and workbenches. Two-color foam inlays make checking the completeness of the tools quick and easy.

## Technical drawing.



## Technical attributes.

Number of tools	12
Range	8-19
Width mm (b)	175 mm
Height mm (h)	80 mm
Contents	8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
Length mm (L)	350 mm
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Drawer dividers	1/3

## Logistics data.

Depth mm (IFS)	365
Width mm (IFS)	185
Height mm (IFS)	80
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	340
Width (packaged, mm)	175
Height (packaging, mm)	80
Volume (packaged, dm <sup>3</sup> )	4.76 dm <sup>3</sup>
Product no.	96830649
Weight (gross, kg)	1,548
Weight PAP (kg)	0,138
Weight PVC (kg)	0,000
GTIN	4018754240593
Country of origin AWR	TAIWAN, PROVINCE OF CHINA
Region of origin	Ausländischer Ursprung
Customs tariff no.	82041100
Packing standard	1
Weight (g)	1460 g

## Parts list.



41171919  
Combination ratchet  
wrench



41171818  
Combination ratchet  
wrench



41171717  
Combination ratchet  
wrench



41171616  
Combination ratchet  
wrench



41171515  
Combination ratchet  
wrench



41171414  
Combination ratchet  
wrench



41171313  
Combination ratchet  
wrench



41171212  
Combination ratchet  
wrench



41171111  
Combination ratchet  
wrench



41171010  
Combination ratchet  
wrench



41170909  
Combination ratchet  
wrench



41170808  
Combination ratchet  
wrench

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
96830649	OPEN RATCH TCS 17/12	Ratchet ring wrenches OPEN-RATCH i.TCS inlay OPEN RATCH TCS 17/12 8-19 12	4018754240593

## GTIN.



4 018754 240593



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal