

## QuickRelease extension

### 509QR



Product no. **13011004**  
GTIN **4018754151011**  
Model **509QR/3**



**Label.** 1/2 " QuickRelease extension L.75mm

- Properties.**
- with QuickRelease safety lock
  - with ball locking function
  - Chrome Alloy Steel, chrome-plated
  - DIN 3123 / ISO 3316

## Benefits.

Practical extension for hand operated sockets with 1/2" square drive and ball lock.

The extension ensures stable connections even in long threaded holes.

The high-quality Chrome Alloy Steel construction promises a long service life.

The socket wrench adapter ensures optimum power transmission even in hard-to-reach places.

Patented QuickRelease locking system secures every component from ratchet and the joint to the socket without loss of space.



## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### A solution for every situation.

Our socket extensions are available in various versions (different output sizes, straight and bent shapes, with and without QR, imperial, with wobble drive or as a VDE version).



PRODUCT IMAGE  
IN PROGRESS

### Safe for hard-to-reach bolts.

The combination of optimal working length and ball lock ensures a secure hold of the sockets. This enables high and safe power transmission in hard-to-reach places and for low-lying threaded connections, e.g. for repairs on cars and trucks.



PRODUCT IMAGE  
IN PROGRESS

### Outstanding craftsmanship.

The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and durability in continuous use. It also has a corrosion-resistant chrome-plated finish.

## Technologies and features.



### QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

## Technical attributes.

External square drive (inch)	1/2
Square drive inner (inch)	1/2 "
d	23 mm
DIN	DIN 3123 / ISO 3316
Size	3

## Logistics data.

Depth mm (IFS)	75
Width mm (IFS)	23
Height mm (IFS)	23
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	85

<b>Length mm (L)</b>	75 mm	<b>Width (packaged, mm)</b>	24
		<b>Height (packaging, mm)</b>	24
		<b>Volume (packaged, dm3)</b>	0.04896 dm3
		<b>Product no.</b>	13011004
		<b>Weight (gross, kg)</b>	0,615
		<b>Weight PAP (kg)</b>	0,000
		<b>Weight PVC (kg)</b>	0,002
		<b>GTIN</b>	4018754151011
		<b>Country of origin AWR</b>	GERMANY
		<b>Region of origin</b>	Nordrhein-Westfalen
		<b>Customs tariff no.</b>	82042000
		<b>Packing standard</b>	5
		<b>Weight (g)</b>	123 g

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
13011001	509QR/2	1/2 " QuickRelease extension L.52mm	4018754141265
13011004	509QR/3	1/2 " QuickRelease extension L.75mm	4018754151011
13011002	509QR/5	1/2 " QuickRelease extension L.130mm	4018754141272
13011003	509QR/10	1/2 " QuickRelease extension L.255mm	4018754141289

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal