



Double-ended ring spanner sets StahlwilleSTABIL®, inch

StahlwilleSTABIL® 20a

Product no.	96414405
GTIN	4018754081165
Model	StahlwilleSTABIL® 20a/10



Label.

Double-ended ring spanner set StahlwilleSTABIL® 20a/10 1/4x5/16-7/8x15/16 10 pcs.

Properties.

- **imperial, differing** end sizes
- deeply cranked, support angle 75°
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- in cardboard packaging

Benefits.

High quality double-ended ring spanner set, low-crank, in imperial AF spanner sizes.

The AS-Drive profile prevents damage to the fastener caused by force being applied to the edges of the nut or bolt.

Manufactured from durable Chrome Alloy Steel for a long service life and resistance to wear.

A special manufacturing process makes thin-walled rings possible - primarily for slightly lower-lying screw connections.

The distinctive STAHLWILLE rounded finish ensures the combination spanner is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

Technologies and features.



Double-T profile


Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

Technical drawing.



Technical attributes.

Number of tools	10 pcs.
Range	1/4x5/16-7/8x15/16
Contents	1/4 x 5/16; 3/8 x 7/16; 1/2 x 9/16; 9/16 x 5/8; 19/32 x 11/16; 5/8 x 3/4; 11/16 x 13/16; 3/4 x 7/8; 25/32 x 13/16; 7/8 x 15/16"
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Model No.	20a/10

Logistics data.

Depth mm (IFS)	390
Width mm (IFS)	80
Height mm (IFS)	50
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	390
Width (packaged, mm)	80
Height (packaging, mm)	50
Volume (packaged, dm3)	1.56 dm3
Product no.	96414405
Weight (gross, kg)	2,200
Weight PAP (kg)	0,090
Weight PVC (kg)	0,000
GTIN	4018754081165

Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	2200 g

Parts list.



41444446
Double-ended ring
spanner



41444142
Double-ended ring
spanner



41444044
Double-ended ring
spanner



41443842
Double-ended ring
spanner



41443640
Double-ended ring
spanner



41443538
Double-ended ring
spanner



41443436
Double-ended ring
spanner



41443234
Double-ended ring
spanner



41442428
Double-ended ring
spanner



41441620
Double-ended ring
spanner

Variants.

Product no.	Model No. (ERP)	Description	GTIN
96414402	StahlwilleSTABIL® 20a/6	Double-ended ring spanner set StahlwilleSTABIL® 20a/6 1/4x5/16-7/8x15/16 6 pcs.	4018754081158
96414405	StahlwilleSTABIL® 20a/10	Double-ended ring spanner set StahlwilleSTABIL® 20a/10 1/4x5/16-7/8x15/16 10 pcs.	4018754081165

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal