



## UNIFLEX socket

**47a**



Product no. **02440040**  
GTIN **4018754004461**  
Model **47a 3/4**



### Label.

3/8 " UNIFLEX socket Size 3/4" L.57mm

### Properties.

- bi-hex with AS-Drive profile
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated
- SAE AS 954-E


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

|                           |                 |
|---------------------------|-----------------|
| Drive profile             | bi-hex AS-Drive |
| Square drive inner (inch) | 3/8 "           |
| d1                        | 25,5 mm         |
| d2                        | 17,5 mm         |
| d3                        | 18 mm           |
| Length mm (L)             | 57 mm           |
| Size [inch]               | 3/4 "           |
| t1                        | 16 mm           |
| t2                        | 21 mm           |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Depth mm (IFS)         | 49                  |
| Width mm (IFS)         | 26                  |
| Height mm (IFS)        | 26                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Length (packaged, mm)  | 49                  |
| Width (packaged, mm)   | 27                  |
| Height (packaging, mm) | 27                  |
| Volume (packaged, dm3) | 0.035721 dm3        |
| Product no.            | 02440040            |
| Weight (gross, kg)     | 0,335               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,002               |
| GTIN                   | 4018754004461       |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Customs tariff no.     | 82042000            |
| Packing standard       | 5                   |
| Weight (g)             | 67 g                |

## Variants.

| Product no. | Model No. (ERP) | Description                              | GTIN          |
|-------------|-----------------|------------------------------------------|---------------|
| 02440020    | 47a 5/16        | 3/8 " UNIFLEX socket Size 5/16" L.45.5mm | 4018754173617 |
| 02440024    | 47a 3/8         | 3/8 " UNIFLEX socket Size 3/8" L.45.5mm  | 4018754004409 |
| 02440028    | 47a 7/16        | 3/8 " UNIFLEX socket Size 7/16" L.47.5mm | 4018754004416 |

|          |           |                                           |               |
|----------|-----------|-------------------------------------------|---------------|
| 02440032 | 47a 1/2   | 3/8 " UNIFLEX socket Size 1/2" L.47.5mm   | 4018754004423 |
| 02440034 | 47a 9/16  | 3/8 " UNIFLEX socket Size 9/16" L.48.5mm  | 4018754004430 |
| 02440036 | 47a 5/8   | 3/8 " UNIFLEX socket Size 5/8" L.51.5mm   | 4018754004447 |
| 02440038 | 47a 11/16 | 3/8 " UNIFLEX socket Size 11/16" L.53.5mm | 4018754004454 |
| 02440040 | 47a 3/4   | 3/8 " UNIFLEX socket Size 3/4" L.57mm     | 4018754004461 |

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal