

Double open-ended wrenches i.TCS inlay

TCS MOTOR 10/11 6x7-34x36

Product no. **96830167**
GTIN **4018754152100**
Model **MOTOR TCS 10/11**



Label.

Double open-ended wrenches i.TCS inlay TCS MOTOR 10/11 6x7-34x36 11

Properties.

- **metric, differing** end sizes in TCS inlay
- straight design, jaws angled 15°
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3110, ISO 10102
- safely integrated in the modular Tool Control System (TCS)

Contains 11-pieces:

11 double open-ended wrenches **No. 10**: 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 21; 19 x 22; 24 x 27; 30 x 32; 34 x 36 mm

Benefits.

11-piece wrench set in a practical TCS safety insert made of high-quality hard foam with precisely fitting tool cut-outs.

Thanks to the yellow signal colour, one look is enough to see if all tools are in place.

The use of high-quality special steel and a complex forging process makes the double open-ended wrenches durable and robust.

Additional 'push-out' indentations enable easy removal of the open-ended wrench.

The non-slip finish makes for an ergonomic wrench that feels comfortable in your hand.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Order and check.

The set is securely organized in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organizes the tools in tool boxes, tool trolleys and workbenches. Two-color foam inlays make checking the completeness of the tools quick and easy.



Double-T profile


Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Number of tools	11
Range	6x7-34x36
Width mm (b)	175 mm
DIN	DIN 3110, ISO 10102
Height mm (h)	80 mm
Contents	6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 21; 19 x 22; 24 x 27; 30 x 32; 34 x 36 mm
Length mm (L)	350 mm
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Drawer dividers	1/3

Logistics data.

Depth mm (IFS)	365
Width mm (IFS)	185
Height mm (IFS)	80
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	365
Width (packaged, mm)	185
Height (packaging, mm)	80
Volume (packaged, dm ³)	5.402 dm ³
Product no.	96830167
Weight (gross, kg)	2,144
Weight PAP (kg)	0,138
Weight PVC (kg)	0,000
GTIN	4018754152100
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight (g)	2056 g

Parts list.



40033436
Double open-ended
wrench



40033032
Double open-ended
wrench



40032427
Double open-ended
wrench



40031922
Double open-ended
wrench



40031821
Double open-ended
wrench



40031617
Double open-ended
wrench



40031415
Double open-ended
wrench



40031213
Double open-ended
wrench



40031011
Double open-ended
wrench



40030809
Double open-ended
wrench



40030607
Double open-ended
wrench

Variants.

Product no.	Model No. (ERP)	Description	GTIN
96830167	MOTOR TCS 10/11	Double open-ended wrenches i.TCS inlay TCS MOTOR 10/11 6x7-34x36 11	4018754152100

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal